Rhodium-Catalyzed Asymmetric Hydrogenation of Olefins with PhthalaPhos, a New Class of Chiral Supramolecular Ligands

Luca Pignataro,^{*[a]} Michele Boghi,^[a] Monica Civera,^[a] Stefano Carboni,^[b] Umberto Piarulli,^{*[b]} and Cesare Gennari^{*[a]}

Abstract: A library of 19 binol-derived chiral monophosphites that contain a phthalic acid diamide group (Phthala-Phos) has been designed and synthesized in four steps. These new ligands were screened in the rhodium-catalyzed enantioselective hydrogenation of prochiral dehydroamino esters and enamides. Several members of the library showed excellent enantioselectivity with methyl 2-acetamido acrylate (6 ligands gave > 97% ee), methyl (Z)-2acetamido cinnamate (6 ligands gave >94% ee), and N-(1-phenylvinyl)acetamide (9 ligands gave >95% ee), whilst only a few representatives afforded high enantioselectivities for challenging and industrially relevant substrates N-(3,4-dihydronaphthalen-1yl)-acetamide (96% *ee* in one case) and methyl (*E*)-2-(acetamidomethyl)-3phenylacrylate (99% *ee* in one case). In most cases, the new ligands were more active and more stereoselective than their structurally related monodentate phosphites (which are devoid of functional groups that are capable of

Keywords: asymmetric catalysis • hydrogenation • olefins • rhodium • supramolecular chemistry hydrogen-bonding interactions). Control experiments and kinetic studies were carried out that allowed us to demonstrate that hydrogen-bonding interactions involving the diamide group of the PhthalaPhos ligands strongly contribute to their outstanding catalytic properties. Computational studies carried out on a rhodium precatalyst and on a conceivable intermediate in the hydrogenation catalytic cycle shed some light on the role played by hydrogen bonding, which is likely to act in a substrate-orientation effect.

Introduction

The rhodium-catalyzed asymmetric hydrogenation of prochiral olefins is one of the most-intensely studied stereoselective reactions, and has been the object of uninterrupted interest from chemists over the last forty years.^[1] Unlike many other enantioselective catalytic processes,^[2] this reaction has become a well-established methodology for the industrial preparation of chiral building blocks,^[3] thanks to its high efficiency and simple experimental setup. Although chiral monophosphines were used as ligands in the first examples

[a] Dr. L. Pignataro, M. Boghi, Dr. M. Civera, Prof. Dr. C. Gennari Università degli Studi di Milano Dipartimento di Chimica Organica e Industriale Centro Interdipartimentale CISI Istituto di Scienze e Tecnologie Molecolari (ISTM) del CNR Via G. Venezian, 21, 20133, Milano (Italy) Fax: (+39)02-50314072 E-mail: luca.pignataro@unimi.it cesare.gennari@unimi.it
[b] Dr. S. Carboni, Prof. Dr. U. Piarulli Università degli Studi dell'Insubria Dipartimento di Scienze Chimiche e Ambientali

E-mail: umberto.piarulli@uninsubria.it Supporting information for this article is available on the WWW under http://dx.doi.org/10.1002/chem.201102018.

of asymmetric hydrogenation,^[4] for some thirty years since the pioneering work of Knowles and Kagan chiral bis-phosphorus ligands have played a major role in this reaction.^[5] However, around the year 2000, the dominance of bidentate ligands started being questioned following the work reported by Guillen and Fiaud,^[6] and by the groups of Pringle,^[7] Reetz,^[8] de Vries, and Feringa.^[9] They found that rhodium complexes of simple, easy-to-make chiral monodentate ligands (the most important being phosphonites, phosphites, and phosphoramidites)^[10] catalyzed the hydrogenation of prochiral olefins with comparable or higher enantioselectivities than those obtained with the related bidentate systems. These findings boosted the interest of many research groups in chiral monodentate ligands, whose easy preparation makes them particularly attractive for industrial applications. In 2003, Reetz and co-workers^[11] and Feringa and coworkers^[12] independently reported that binary mixtures of monodentate P ligands can lead to higher conversions and enantioselectivities in rhodium-catalyzed olefin hydrogenations than those obtained with the individual ligands alone. This improvement occurs when the heterocomplex [RhL^aL^b] is more active and stereoselective than the two homocomplexes [RhL^aL^a] and [RhL^bL^b]. This methodology, later extended to other reactions,^[13] is of great industrial interest because it allows for the rapid combinatorial screening of a number of catalytic systems with a much-larger scope than just the number of ligands employed. However, in principle, the simultaneous presence of three complexes ([RhL^aL^b],

Chem. Eur. J. 2012, 18, 1383-1400

Fax: (+39)031-2386449

Via Valleggio, 11, 22100, Como (Italy)

© 2012 Wiley-VCH Verlag GmbH & Co. KGaA, Weinheim



[RhL^aL^a], and [RhL^bL^b]) in the reaction environment lowers the overall enantioselectivity of the process, unless the activity of the most stereoselective complex is considerably higher than that of the other two. This limitation stimulated several research groups to develop methods for achieving the exclusive formation of the heterocomplexes, [RhL^aL^b]. Non-covalent interactions between ligands soon appeared as the best strategy^[14] for achieving this result, and supramolecular phosphorus ligands became the object of increasing interest^[15] that soon went beyond the selective formation of heterocomplexes. Thus, several research groups began developing monodentate P ligands that possessed a secondary functional group (besides the metal-coordinating phosphorus atom) that was capable of non-covalent interactions (hydrogen bonding,^[16,17] coordinative bonding,^[18] and others^[19]). Such non-covalent interactions can play two major roles: 1) Holding two ligands together that are coordinated to the same metal center to afford a "supramolecular bidentate ligand".^[16,18,19] Whether these supramolecular ligands are made up of different or identical ligands, ligand-ligand interactions create highly organized environments that have a different conformational space from that of the monodentate ligand complexes. 2) Binding the reaction substrate,^[17,20] in order to position it correctly relative to the catalytic metal center; this orientation is analogous to what is observed in natural metalloenzymes. These approaches, which have also been applied together within the same catalytic system.^[17g] both result in an improvement in the activity and/or regio- and stereoselectivity of the ligands compared to their structurally simplified monodentate ligands. In recent years, our research group has provided several contributions both to the use of combinations of monodentate ligands (applied to asymmetric hydrogenation^[14,21a] and other reactions^[21b-d]) and to the development of supramolecular ligands for asymmetric hydrogenation.^[19c,d] As part of our continued interest in the field of supramolecular catalysis, herein, we report a full account on the development of a new class of chiral supramolecular phosphite ligands (PhthalaPhos),^[22] and their application to the rhodium-catalyzed enantioselective hydrogenation of prochiral dehydroamino esters and enamides. We also consider the effects of hydrogen-bonding interactions on the

catalytic properties of the ligands using spectroscopic and computational studies and reaction kinetics.

Results and Discussion

Ligand design: Supramolecular bidentate ligands that rely on hydrogen-bonding interactions are arguably the most practical and amenable ligands for combinatorial screening in catalysis.^[16] Indeed, the functional groups that are capable of this kind of interaction (e.g. amides, ureas, guanidines) are usually easy to make, stable, and-most importantly-form hydrogen bonds spontaneously and reversibly in solution. As a consequence, preliminary steps in the preparation of supramolecular bidentate ligands are not required, and such bidentate ligands are formed by simply combining the metal source with properly functionalized monodentate ligands in the reaction environment. Therefore, we set out to design a new class of chiral-binol-derived monophosphites that are capable of forming corresponding supramolecular ligands from hydrogen-bonding interactions between amide groups. We reasoned that primary bisamides of phthalic acid were particularly well-suited to this purpose, thanks to the following properties: 1) they can be easily prepared by a modular approach starting from cheap phthalic anhydride, where different amines can be employed to form the two amide groups; and 2) they can act as both a donor and as an acceptor for the formation of multiple hydrogen bonds. In particular, we expected that two hydrogen bonds could form between two phthalamide-functionalized phosphites coordinated to a metal to create a rigid and stereodefined environment around it (see Scheme 1B). Based on these interesting features, we decided to prepare a library of binol monophosphites, called "PhthalaPhos", which would feature the following sites of diversity (Scheme 1 A): 1) the linker between the phosphite and the phthalamide moiety, 2) the substitution on the binaphtholic portion of the phosphite group, and 3) the ancillary amide group, namely the amide group that is not connected to the phos-

Preparation of the PhthalaPhos ligand library: The ligands (shown in Scheme 2) were prepared following an easy and reliable four-step synthesis (Scheme 3) involving only one or two chromatographic purification steps: phthalic anhydride was allowed to react with a primary amine to give the phthalic acid mono amides **1a** and **1b** in 94–98% yield.^[23] Dehydration of amides **1a** and **1b** in the presence of trifluoroacetic anhydride gave phthalisoimides **2a** and **2b** (97% and 99% yield, respectively), whose reaction with various amino alcohols led to phthalic acid diamides **3a–3l** and



phite group.

Scheme 1. A) PhthalaPhos ligands: general structure and possible diversification points; B) formation of supramolecular bidentate ligands in the presence of a rhodium source.

1384

© 2012 Wiley-VCH Verlag GmbH & Co. KGaA, Weinheim



Scheme 2. The PhthalaPhos ligand library.



Scheme 3. General synthesis of PhthalaPhos ligands: a) Phthalic anhydride, CHCl₃, reflux, 94–98% yield; b) (CF₃CO)₂O, Et₃N, 1,4-dioxane, or THF, 0°C to RT, 97–99% yield; c) amino alcohol, THF, RT, 58–94% yield; d) (S)-binol–PCl or (R)-3,3'-dimethyl-binol–PCl, Et₃N, THF, RT, 47–78%.

3n–3s (58–94% yield), respectively.^[24] Some of the amino alcohols employed are commercially available, whilst the others were easily prepared as described in the Supporting Information. The diamide monoalcohols **3a–3s** were reacted with binol-derived chlorophosphites^[25] to give PhthalaPhos

ligands **4a–s** (47–78% yield). Diamide-phenol **3m** (a precursor of phosphite **4m**) could not be prepared via the corresponding *n*-butyl-substituted phthalisoimide (unstable). However, it was readily obtained from compound **1c** and 3-aminophenol in the presence of *N*-(3-dimethylaminopropyl)-*N*'-ethylcarbodiimide hydrochloride (EDC) and 1-hydroxybenzotriazole (HOBT; Scheme 4).



Scheme 4. Synthesis of the diamide-phenol 3m: a) Phthalic anhydride, CHCl₃, reflux, 85%; b) EDC, HOBT, 3-aminophenol, CH₂Cl₂, 0°C to RT, 71%.

Catalytic screening of the library: We set out to investigate the catalytic properties of our new ligands in the rhodiumcatalyzed enantioselective hydrogenation of several dehydroamino esters and enamides. In order to evaluate the effect of the diamide group on catalytic behavior, two simple monodentate binol-phosphites (structurally related to our ligands, but devoid of functional groups capable of supramolecular interactions) were used as standards in the

catalyst screen: phenyl phosphite $5a^{[26]}$ and benzyl phosphite $5b^{[27]}$ (Scheme 5). First, we assessed the catalytic properties of the new ligands in the hydrogenation of three classical



Scheme 5. Monodentate phosphites employed as standards in the catalytic screening.

benchmark substrates: methyl 2-acetamidoacrylate (S1), methyl (Z)-2-acetamidocinnamate (S2), and N-(1-phenylvinyl)acetamide (S3). Subsequently, the library was also screened in the hydrogenation of two more-challenging substrates: cyclic enamide S4 [N-(3,4-dihydronaphthalen-1-yl)acetamide] and β^2 -dehydro aminoester **S5** [(*E*)-methyl 2-(acetamidomethyl)-3-phenylacrylate], which are both industrially relevant compounds.^[17g] The best results obtained with each substrate are shown in Tables 1-5, respectively. The full set of results is represented graphically in Figure 1, and tabulated in the Supporting Information. In the hydrogenation of methyl 2-acetamidoacrylate (S1; Table 1, Figure 1) excellent results were obtained, with 11 ligands giving >93% ee and six ligands giving >97% ee. Remarkably, monodentate phosphites 5a and 5b gave only 84% and 90% ee, respectively, for this substrate, thus demonstrating the important role played by the diamide group in determinTable 1. Selected results of the screening of the PhthalaPhos library in the enantioselective hydrogenation of methyl 2-acetamidoacrylate (S1).^[a]

	NHAc COOMe S1	H ₂ (1 bar), [Rh(cod) ₂ BF₄] / L NHAC DCM, RT, 20 h ↓ P1	
Entry	Ligand	Conv. [%] ^[b]	ee [%] ^[b,c]
1	4a	100	94 (<i>R</i>)
2	4b	100	98 (R)
3	4e	100	>99(R)
4	4 f	100	98 (R)
5	4i	100	98 (R)
6	4p	100	98 (R)
7	4q	100	>99(R)
8	5a	100	84 (R)
9	5 b	100	90 (R)

[a] Reaction conditions: substrate/ligand/[Rh(cod)₂BF₄]=100:2.2:1, solvent=CH₂Cl₂, c_0 (**S1**)=0.048 M, T=25 °C. [b] Determined by GC analysis with a chiral capillary column (MEGADEX DACTBS β , diacetyl-*tert*-butylsilyl- β -cyclodextrin). [c] Assignment based on comparison of GC retention times with **5a**, whose stereochemical preference is known.^[26]

ing the catalytic behavior of the PhthalaPhos ligands. The same conclusion can be drawn from the results of the screen of ligands with substrate **S2** (Table 2, Figure 1), in which six ligands gave >94% *ee* and three ligands gave >97% *ee*,^[28] whilst the reference ligands afforded only moderate enantio-selectivities (**5a** gave 70% *ee* and **5b** 83% *ee*). Very good results were also obtained in the screen of ligands with *N*-(1-*p*henylvinyl)acetamide (**S3**; best results shown in Table 3): nine ligands gave >95% *ee*, four ligands gave



Figure 1. Diagram representing the full set of results from the PhthalaPhos ligand screening with substrates S1-S5.

. .

FULL PAPER

Table 2. Selected results of the screening of the PhthalaPhos library in the enantioselective hydrogenation of methyl (Z)-2-acetamidocinnamate (**S2**).^[a]

	NHAc	FI2, [Rh(cod)2BF	4]/L NHAc	
	Ph_COOMe S2	DCM, RT, 20	Me	
Entry	Ligand	P [bar]	Conv. [%] ^[b]	ee [%] ^[b,c]
1	4b	1	100	98 (R)
2	4 e	1	86	98 (R)
3	4 e	12	100	97 (R)
4	4 f	1	100	99 (R)
5	4i	1	100	97 (R)
6	4p	1	91	97 (R)
7	4p	12	100	96 (R)
8	5a	1	25	73 (R)
9	5a	12	100	70 (R)
10	5b	1	100	83 (R)

[a] Reaction conditions: substrate/ligand/[Rh(cod)₂BF₄]=100:2.2:1, solvent=CH₂Cl₂, c_0 (**S2**)=0.048 M (when P=1 bar) or 0.024 M (when P=12 bar), T=25 °C. [b] Determined by HPLC equipped with a chiral column (Daicel Chiralpak AD–H). [c] Assigned by comparison of the sign of optical rotation with literature data.^[28]

Table 3. Selected results from a screen of the PhthalaPhos library in the enantioselective hydrogenation of N-(1-phenylvinyl)acetamide (S3).^[a]

NHAc	H_2 (5 bar), [Rh(cod) ₂ BF ₄] / L	NHA
Ph S3	DCM, RT, 20 h	Pr P3

e [%] ^[b,c]
98(R)
98 (R)
\overrightarrow{R}
$\frac{1}{28}(R)$
99 (R)
97(R)
90(R)
94 (R)

[a] Reaction conditions: substrate/ligand/[Rh(cod)₂BF₄]=100:2.2:1, solvent=CH₂Cl₂, c_0 (**S3**)=0.024 M, T=25 °C, P=5 bar. [b] Determined by GC analysis with a chiral capillary column (MEGADEX DACTBS β , diacetyl-*tert*-butylsilyl- β -cyclodextrin). [c] Assignment based on GC retention times, by comparison with the results obtained for **5a** and **5b**, whose stereochemical preference is known.^[26,27]

>97% *ee*. Also in this case, the PhthalaPhos ligands showed higher enantioselectivity than the reference phosphites, although the improvement was less remarkable than in the cases discussed above (ligand **5a** gave 90% *ee*, **5b** gave 94% *ee*). In the reactions of the challenging substrates **S4** and **S5**, only a few members of the library showed high levels of enantioselectivity, unlike the above-described hydrogenation reactions of classic benchmark olefins (Figure 1). The best results from the screen of various ligands with substrate **S4** under 12 bar hydrogen pressure are reported in Table 4.^[29] Ligand **4a** promoted the formation of product **P4** with a stereocontrol that rivaled the best literature precedents (96% *ee*; Table 4, entry 1); those precedents were obtained using a monodentate phosphoramidite (84%)

Table 4. Selected results of the screening of the PhthalaPhos library in the enantioselective hydrogenation of N-(3,4-dihydronaphthalen-1-yl)ace-tamide (**S4**).^[a]



Entry	Ligand	Conv. [%] ^[b]	ee [%] ^[b,c]
1	4a	100	96 (R)
2	4 b	90	93 (R)
3	4 d	98	92 (R)
4	4 f	46	86 (R)
5	5 a	30	53 (R)
6	5b	100	96 (R)

[a] Reaction conditions: substrate/ligand/[Rh(cod)₂BF₄]=100:2.2:1, solvent=CH₂Cl₂, c_0 (S4)=0.024 M, T=25 °C. P=12 bar. [b] Determined by GC analysis with a chiral capillary column (MEGADEX DACTBS β , diacetyl-*tert*-butylsilyl- β -cyclodextrin). [c] Assigned by comparison of the sign of optical rotation with literature data.^[29]

ee at RT, 98% ee at -20°C)^[30] and a diphosphine ligand (98% ee at RT).^[31] As expected, reference phosphite **5a** was less active and less stereoselective than ligand 4a. On the contrary, despite being unable to form any supramolecular interactions, benzyl phosphite 5b showed exactly the same level of stereocontrol as ligand 4a (Table 4, entry 6 vs. entry 1). However, kinetic studies showed that the catalytic rhodium complex of 4a afforded a faster rate of reaction than that of 5b (Figure 2). The experiments were set up in parallel using a Parr multireactor, and the conversion values were calculated from the hydrogen uptake. The reactions showed a typical pseudo-first-order kinetic profile, which allowed us to calculate first order k_{app} values (including catalyst concentration), half-life times $t_{1/2}$, and second-order k values (Figure 2; Table 5). As anticipated, the kinetic constant (k) of the rhodium complex of ligand **4a** was almost double that of the rhodium complex of 5b, and the TOF values followed a similar trend. Thus, although ligands 4a and 5b showed the same levels of stereoselectivity, it is likely that hydrogen-bonding interactions stabilize the tran-



Figure 2. Kinetics of hydrogenation of substrate **S4** catalyzed by the rhodium complexes of ligand **4a** (\Box) and ligand **5b** (\blacklozenge), respectively. Solvent=CH₂Cl₂; c_0 (**S4**)=0.331 M ; P_{hydrogen} =60 bar; T=25°C; catalyst loading=1 mol%, c_{cat} =3.31 mM.

Table 5. Kinetic parameters from the hydrogenation of N-(3,4-dihydronaphthalen-1-yl)acetamide (S4) catalyzed by rhodium complexes of ligands 4a and 5b.^[a]

Ligand	$k_{\mathrm{app}} [\mathrm{min}^{-1}]^{\mathrm{[b]}}$	$t_{1/2}$ [min]	$k [\mathrm{Lmol^{-1}min^{-1}}]^{[\mathrm{b}]}$	TOF $[h^{-1}]^{[c]}$
4a	0.0508	13.6	15.36	234
5b	0.0284	24.4	8.59	180

[a] Solvent = CH₂Cl₂; c_0 (S4) = 0.331 m; $P_{hydrogen}$ = 60 bar; catalyst loading = 1 mol %, $c_{cat.}$ = 3.31 mm. [b] k_{app} = $k \cdot c_{cat.}$ [c] Determined at t = 15 min.

sition state of the rate-limiting step of the hydrogenation process in the case of **4a** (see below). The hydrogenation of substrate **S5** (best results shown in Table 6) proceeded more slowly than that of the other substrates; incomplete conver-

Table 6. Selected results of the screening of the PhthalaPhos library in the enantioselective hydrogenation of methyl (*E*)-2-(acetamidomethyl)-3-phenylacrylate (S5).^[a]

	NHAc COOMe Ph S5	H ₂ (50 bar), [Rh(cod) ₂ BF ₄] / L DCM, RT, 20 h	NHAc COOMe Ph P5
Entry	Ligand	Conv. [%] ^[b]	$ee \ [\%]^{[b]} ([\alpha]_{D} \ sign)^{[c]}$
1	4a	96	64 (+)
2	4b	98	62 (+)
3	4 c	75	91 (+)
4	4g	73	74 (+)
5	4i	100	99 (+)
6	5 a	6	32 (+)
7	5b	37	90 (+)

[a] Reaction conditions: substrate/ligand/[Rh(cod)₂BF₄]=100:2.2:1, solvent=CH₂Cl₂, c_0 (**S5**)=0.024 M, T=25 °C, P=50 bar. [b] Determined by GC analysis with a chiral capillary column (MEGADEX DACTBS β , diacetyl-*tert*-butylsilyl- β -cyclodextrin). [c] Correlation of the [α]_D sign with absolute configuration has still not been established.

sion was observed in most cases, even under very high hydrogen pressures (50 bar). However, ligand 4i gave full conversion and almost complete stereocontrol (Table 6, entry 5), which is the highest ee value reported so far for this substrate (for which only one other highly stereoselective ligand has been reported^[16q]). Interestingly, phosphite 4b, which only differed from ligand 4i in the ancillary amide group (4-(n-butyl)anilide instead of a 3,5-bis(trifluoromethyl)anilide; Scheme 2), was remarkably less stereoselective (Table 6, entry 2), which further demonstrates how strongly the diamide group can influence the reaction. The rhodium complexes of both of the reference phosphites were poorly active with substrate S5. As observed with substrate S4, reference ligand 5b gave much-higher stereocontrol than 5a (Table 6, entry 7 vs. entry 6). However, the ee value and conversion remained lower than those obtained with the best PhthtalaPhos ligand 4i (Table 6, entry 5), once again confirming the importance of the diamide group. The full set of results from the catalytic screening of substrates S1-S5 is represented graphically in Figure 1. From this summary, the following observations can be drawn:

- For all substrates, the use of PhthalaPhos ligands led to a remarkable improvement in activity and stereocontrol compared to simple monodentate phosphite **5a**. This trend was also observed when reference phosphite **5b** was used as a standard, although in one case this ligand gave the same *ee* value as the best PhthalaPhos ligand.
- There are a relatively large number of highly effective ligands for the hydrogenation of benchmark substrates (S1-S3), whilst only one or two hits were found for challenging olefins (S4 and S5).
- The best-performing ligands were not the same for all substrates, which underlines the value of the library approach in ligand synthesis. Each structural component of these new modular ligands appears to affect their catalytic behavior. In particular, a strong influence is exerted by 1) the size and geometry of the linker group and 2) the nature of the ancillary amide group.
- Some ligands behaved poorly in all cases. In particular, 1) the ligands derived from 3,3'-dimethyl-binol (4r and 4s) showed minimal catalytic activity and almost no stereoselectivity; 2) the ligands containing rigid linker groups (4j-4n) showed lower levels of activity and stereoselectivity than the others.

The PhthalaPhos ligand library was also screened in the rhodium-catalyzed hydrogenation of other challenging olefins (Table 7; also see the Supporting Information). However, these results were not as good as those presented above. Low conversions and *ee* values (up to 36%) were obtained with *N*-(3,4-dihydronaphthalen-2-yl)acetamide (**S6**), whilst (*Z*)-methyl 3-acetamido-2-phenylacrylate (**S7**) gave no conversion even under forcing conditions (100 bar hydrogen pressure). β -Amino acid precursor **S8**, [(*Z*)-methyl 3-acetamidobut-2-enoate], gave promising *ee* values (up to 83%),

Table 7. Other hydrogenation substrates screened with PhthalaPhos ligands.

8				
Substrate	General results	В	est res	ult
		Conv.	ee	Ligand
		[%]	[%]	
The second secon	low conversion and <i>ee</i> values	72	36 (R)	4a
S6 COOMe HN O	no conversion			
S7 O NH O OMe	poor conversion	16	83 (<i>R</i>)	4h
S8 OH COOMe S9	moderate <i>ee</i> values	98	70 (S)	4i

1388

but conversion could not be brought up to acceptable values. The Roche-ester precursor **S9**, [methyl 2-(hydroxy-methyl)acrylate], was hydrogenated with good conversions, but only moderate enantioselectivity (up to 70% ee).

Computational studies: We carried out a series of spectroscopic studies on the precatalyst complex $[Rh(4a)_2(cod)BF_4]$ (described in detail in our preliminary communication^[22]). From these studies, the NH_A protons were found to form intramolecular hydrogen bonds, which is not the case for the free-ligand 4a. A computational study, carried out on the basis of these spectroscopic studies, allowed us to draw a picture of complex $[Rh(4a)_2(cod)BF_4]$ (Figure 3). This study confirmed the formation of a supramolecular bidentate ligand through two interligand hydrogen bonds.^[22] The rigidity and pre-organization of the supramolecular ligand was considered to be a possible cause of the superior performance observed for the PhthalaPhos ligands compared to simple monodentate phosphites 5a and 5b. However, it must be recognized that the square-planar complex [Rh- $(4a)_2(cod)BF_4$ is only a precatalyst, from which the actual catalyst is generated by hydrogenation (and dissociation) of the cyclooctadiene ligand. Moreover, it is widely accepted^[32] that the hydrogenation catalytic cycle involves octahedral rhodium complexes, in which the ligand arrangement could significantly differ from that observed in the square-planar precatalyst. In particular, according to the most-recent literature contributions,^[32h,i] the stereoselectivity of the process is likely to be determined during the reversible association of the double bond in the rapidly interconverting dihydrides A



Figure 3. DFT-optimized structure of the precatalyst complex $[Rh(4a)_{2}-(cod)BF_{4}]$. Wires (P ligands) and tubes (cod): C=gray, amide H=light gray, heteroatoms (N, O, P)=black; CPK sphere: Rh=black. For the sake of clarity, all H atoms bound to carbon are omitted. cod=1,5-cyclooctadiene.

and **A'** to give the chelate dihydrides **B** and **B'**, respectively (Scheme 6). Consequently, the stereochemical outcome should depend on the face of the substrate that is coordinat-



Scheme 6. The stereodiscriminating step of the rhodium-catalyzed hydrogenation according to recent literature contributions.^[32h,i]

ed to the rhodium center in the chelate dihydride that has the lowest activation energy (B, Scheme 6). The subsequent fast and irreversible migratory-insertion step fixes the result of the enantioselection forming the monohydride (\mathbf{C}) that is then converted into the product. In order to investigate the role of hydrogen-bonding interactions in the part of the reaction coordinate where stereodiscrimination occurs, we decided to build computational models of **B**-type dihydrides. Of the possible octahedral dihydrides, we considered those that satisfied the following requirements: 1) cis disposition of the phosphite ligands around the rhodium atom, as suggested previously for the catalytic rhodium complexes of monodentate P ligands,^[33] and for the above-discussed structure of the precatalyst complex $[Rh(4a)_2(cod)BF_4]$; 2) cis disposition of the hydrogen atoms, as a consequence of oxidative addition to the rhodium atom;^[32] 3) coordination of the carbonyl oxygen atom trans to a hydride hydrogen atom, as suggested by experimental evidence reported in the literature.^[32f,i] Therefore, we focused our attention on dihydrides si-6b and si-7b (Scheme 7), which led to the major enantiomer observed experimentally (R, corresponding to coordination on the si face) from the hydrogenation of substrate S4 promoted by the rhodium complex of ligand 4a (96% ee).^[34]



Scheme 7. Pro-(R), **B**-type chelate dihydride complexes (*si* face of the substrate coordinated to rhodium) studied by MC/MM and DFT calculations.

Chem. Eur. J. 2012, 18, 1383-1400

© 2012 Wiley-VCH Verlag GmbH & Co. KGaA, Weinheim

www.chemeurj.org

1389

The computational workflow used was identical to that adopted for calculating the structure of complex [Rh(4a)₂-(cod)BF₄] (Figure 3):^[22] 1) a preliminary DFT optimization (B3LYP/LACVP level of theory)^[35] was carried out on dihydrides si-6a and si-7a (bearing monodentate phosphite 5b as ligand P*, see Scheme 7); 2) the diamide groups were introduced onto the ligands ($P^* = 4a$ without *n*-butyl group), and Monte Carlo/energy-minimization conformational searches^[36,37] were performed (AMBER*, CHCl₃ GB/ SA),^[38] keeping the geometries of the pre-optimized octahedral core (si-6a and si-7a) frozen, and leaving the diamide groups free to move; 3) the si-6b and si-7b global minimum geometries of MC/MM searches were optimized at the DFT B3LYP/LACVP level of theory.[35] Quite unexpectedly, no structures featuring ligand-ligand hydrogen bonds were found in the MC/MM conformational search; the octahedral geometry and the presence of the coordinated substrate were incompatible with the ligand arrangement found in the precatalyst complex. Rather, ligand-substrate hydrogenbonding interactions were identified; the global minimum (MC/MM) of si-7b featured a hydrogen bond between the carbonyl oxygen of the 4a ancillary amide group and the NH proton of the substrate, whilst the global minimum of si-6b had a distorted hydrogen bond between the same groups. In each of the DFT-optimized structures (shown in Figure 4) a hydrogen bond between the carbonyl oxygen of

the ancillary amide group of 4a and the NH of the substrate was present, and si-7b was 14.8 kcalmol⁻¹ more stable than si-6b.^[34] Therefore, these computational studies suggest that the role of the diamide group of the PhthalaPhos ligands is in binding and orientating the substrate relative to the catalytic metal center, in a "metalloenzyme-like" fashion. The behavior of the supramolecular bidentate ligand, observed in the precatalyst $[Rh(4a)_2(cod)BF_4]$, did not appear to be retained in the octahedral intermediates of the catalytic cycle, which are closer to the stereodefining step of the reaction. Because all of the substrates tested possess a NH hydrogen-bond-donor group, this scenario is fully consistent with the superior enantioselectivity and activity of the PhthalaPhos ligands compared to reference phosphites **5a** and **5b**. Unfortunately, this hypothesis cannot be confirmed directly by spectroscopic methods, because it involves very short-lived intermediates of the catalytic cycle. Therefore, we decided to seek indirect evidence of ligandsubstrate interactions by carrying out a series of control experiments as described below.

Control experiments: In order to confirm the role of ligandsubstrate hydrogen-bonding interactions suggested by the computational studies, we decided to carry out a series of control experiments in the hydrogenation of challenging substrates **S4** and **S5**, in which single experimental parameters were modified in turn. First, we investigated the catalytic behavior of ligand **4a-Me**, a bis-N-methylated version of ligand **4a** that was readily prepared from the alcohol **3a** as shown in Scheme 8. This ligand, which lacks hydrogen-bonddonor NH groups, is unable to form a corresponding supramolecular bidentate ligand, but still possesses the Lewisbasic amide oxygen atoms required for substrate coordination according to the computational models, *si*-**6b** and *si*-**7b**, as discussed above. For this reason, a similar level of catalyt-



Scheme 8. Reaction conditions: a) 3,4-dihydro-2*H*-pyran, PTSA (cat.), THF, RT, 96%; b) 1) NaH, DMF, 0°C; 2) MeI, 0°C to RT, 99%; c) PTSA (cat.), MeOH, RT, 84%; d) (*S*)-binol–PCl, Et₃N, THF, RT, 66%. PTSA = *para*-toluenesulfonic acid.



Figure 4. DFT-optimized structures of dihydrides si-**6b** and si-**7b**. Wires (P ligands) and tubes (substrate **S4**): C=gray, amide H=light gray, heteroatoms (N, O, P)=black; CPK spheres: Rh=black, gray=H. For the sake of clarity, all H atoms bound to carbon are omitted.

1390 -

ic performance by ligands **4a** and **4a-Me** could be taken as indirect proof of substrate-orientation effects. Conversely, poorer catalytic behavior (compared to ligand **4a**), should be expected from ligand **4a-Me** if ligand–ligand interactions were the main cause of the outstanding performance of the PhthalaPhos ligands. Our results (Table 8) seem to substanti-

Table 8. Use of bis-N-methylated ligand **4a-Me** in the enantioselective hydrogenation of N-(3,4-dihydronaphthalen-1-yl)acetamide (S4) and methyl (E)-2-(acetamidomethyl)-3-phenylacrylate (S5).^[a]

R^{1} R^{3} R^{3}	NHA	or NHAc Or CC	DOMe R^2 R^3 R^3	$\xrightarrow[R^4]{IRh(cod)_2BF_4]/L} R^2$
Entry	Substrate	Ligand	Conv. [%]	<i>ee</i> [%] (abs. config or $[\alpha]_D$ sign)
1	S4	4a	100	96 (<i>R</i>)
2	S4	4a-Me	100	96 (<i>R</i>)
3	S 5	4a	96	64 (+)
4	S 5	4a-Me	100	81 (+)

[a] For substrate **S4**, see the footnotes of Table 4; for substrate **S5**, see the footnotes of Table 6.

ate the hypothesis that a key role is played by ligand-substrate interactions. Indeed, in the hydrogenation of enamide S4, ligand 4a-Me gave exactly the same result as ligand 4a in terms of conversion and stereocontrol (Table 8, entry 2 vs. entry 1). Kinetic studies were carried out under the same conditions as for the hydrogenation of S4 promoted by the rhodium complexes of ligands 4a and 5b (see above). The rhodium complex of ligand **4a-Me** ($k_{app} = 0.0259 \text{ min}^{-1}$, k =7.81 L mol⁻¹ min⁻¹) was slower than the comparable reaction with the rhodium complex of 4a, and of similar activity compared to the complex of 5b (see Table 5). Thus, the tertiary amide groups of ligand 4a-Me did not display the same accelerating effect as the secondary amide groups of 4a, which is likely to be due to different stereoelectronic features. Remarkably, in the hydrogenation of substrate S5, ligand 4a-Me afforded superior enantioselectivity to ligand 4a (Table 8, entry 4 vs. entry 3). This result suggests that the two carbonyl oxygen atoms of substrate S5 are not involved in hydrogen-bonding interactions with the ligand (such interactions are not possible for ligand 4a-Me). Rather, the NH group of substrate S5 is likely to interact with a carbonyl oxygen atom on the ligand; this interaction is consistent with the scenario depicted for substrate S4 by the computational studies (see above). We developed computational models of dihydride intermediates si-6c and si-7c (Figure 5) that would lead to the experimentally determined major enantiomer in the hydrogenation of substrate S4 promoted by the rhodium complex of ligand 4a-Me (R, corresponding to coordination on the si face); these models were created following the same computational methods described for si-6b and si-7b (see above). The DFT-optimized geometries of dihydride intermediates si-6c and si-7c featured a single hydrogen bond between the carbonyl oxygen atom of the ancillary amide and the NH group of the substrate, consistent with the experimental results. Dihydride si-7c was more stable than *si*-6c by 6.09 kcalmol⁻¹. Hydrogen-bonding interactions between dissolved molecules are expected to become weaker with increasing solvent polarity, with protic solvents displaying the strongest disrupting effect. Although ligand-ligand hydrogen bonds have been detected in even protic solvents in a few cases, [16i, 39] in general a negative effect of solvent polarity on catalytic performance is interpreted as a sign of the important role played by hydrogenbonding interactions in supramolecular ligands.^[15a, 16a, h, l] Unfortunately, high enantioselectivities have only been reported for the hydrogenation of prochiral olefins with chiral monophosphite-rhodium complexes in dichloromethane and 1,2-dichloroethane, whilst more-polar or protic solvents cause a dramatic drop in enantiomeric excess.^[40] Accordingly, we have experimentally confirmed that the PhthalaPhos ligands as well as the reference phosphites 5a and 5b (devoid of the binding motif) behave poorly (i.e. with very low enantioselectivity) in polar or protic solvents (e.g. EtOAc, THF, iPrOH). However, we found an interesting exception: in 2,2,2-trifluoroethanol, benzyl phosphite 5b maintained its high performance practically unaltered with both substrates S4 and S5 (Table 9, cf. entries 1, 2, 7, 8). Fluorinated alcohols, which are highly polar solvents but poor hydrogen-bond acceptors, have been reported to not disturb the hydrogen bonds of self-assembling rhodium-phosphine



Figure 5. DFT-optimized structures of dihydrides *si*-6c and *si*-7c. Wires (P ligands) and tubes (substrate S4): C= gray, amide H= light gray, heteroatoms (N, O, P)=black; CPK spheres: Rh=black, H= gray. For the sake of clarity, all H atoms bound to carbon are omitted.

Chem. Eur. J. 2012, 18, 1383-1400

© 2012 Wiley-VCH Verlag GmbH & Co. KGaA, Weinheim

www.chemeurj.org

Table 9. Solvent screen in the hydrogenation of substrates S4 and S5 with ligands 4a, 4i, 4a-Me, and 5b^[a]

	$R^{1} = R^{3}$	NHA S4	$\begin{array}{c c} \text{AC} & \text{NHAC} \\ \text{or} & \begin{array}{c} \text{COOMe} \\ \text{Ph} \\ \textbf{S5} \end{array} \end{array} \right \begin{array}{c} \text{R}^2 \\ \text{R}^1 \\ \text{R}^3 \end{array}$	H _{2,} [Rh(cod) ₂ BF ₄ Solvent, RT, 2	$\frac{J/L}{20 h} \stackrel{R^2}{R^1} \stackrel{I_*}{R^3}$
Entry	Substrate	Ligand	Solvent	Conv. [%]	<i>ee</i> [%] (abs. config or $[\alpha]_{\rm D}$ sign)
1	S4	5b	CH_2Cl_2	100	96 (<i>R</i>)
2	S4	5 b	CF ₃ CH ₂ OH/CH ₂ Cl ₂ (7:1)	100	93 (R)
3	S4	4 a	CH_2Cl_2	100	96 (R)
4	S4	4 a	CF ₃ CH ₂ OH/CH ₂ Cl ₂ (7:1)	100	38 (R)
5	S4	4a-Me	CH_2Cl_2	100	96 (<i>R</i>)
6	S4	4a-Me	CF ₃ CH ₂ OH/CH ₂ Cl ₂ (7:1)	100	8 (R)
7	S5	5 b	CH_2Cl_2	37	90 (+)
8	S 5	5 b	CF ₃ CH ₂ OH/CH ₂ Cl ₂ (7:1)	45	93 (+)
9	S5	4i	CH_2Cl_2	100	99 (+)
10	S 5	4i	CF ₃ CH ₂ OH/CH ₂ Cl ₂ (7:1)	95	47 (+)
11	S 5	4a-Me	CH_2Cl_2	100	81 (+)
12	S 5	4a-Me	CF ₃ CH ₂ OH/CH ₂ Cl ₂ (7:1)	100	4 (+)

[a] For substrate **S4**, see the footnotes of Table 4; for substrate **S5**, see the footnotes of Table 6.

complexes.^[39] In the case of the phthalamide-functionalized phosphites 4a, 4i, and 4a-Me, 2,2,2-trifluoroethanol caused a substantial drop in enantiomeric excess (Table 9, cf. entries 3-6, 9-12), presumably by disrupting either the ligandligand or ligand-substrate hydrogen bonds. In particular, the observation of a strong solvent effect in the case of ligand 4a-Me (Table 9, cf. entries 5, 6, and 11, 12) lends support to the computational studies regarding the crucial role of ligand-substrate hydrogen-bonding interactions. In order to substantiate our interpretation of the observed catalytic behavior, we decided to carry out experiments on analogues of substrates S4 and S5 that contained no hydrogen-bonddonor atoms. The N-methylated analogues S4-Me and S5-Me were synthesized by methylation of compounds S4 and S5 (Scheme 9A), whilst their corresponding esters, S4- $O^{[41]}$ and **S5-O**^[42] (Scheme 9 B), were prepared according to literature procedures. For each series of analogues (Table 10 and Table 11, respectively), the rhodium complexes of 4a-Me



Scheme 9. A) Synthesis of the N-methylated substrates **S4-Me** and **S5-Me**. B) Enol ester substrates **S4-O**^[41] and **S5-O**^[42]

www.chemeurj.org

1392

and of the best-performing PhthalaPhos ligand with the parent olefin were investigated. Although the modifications introduced on the substrates may have affected their stereoelectronic properties far beyond the simple loss of hydrogen-bond-donor ability, we believe that these experiments could be useful in evaluating our hypotheses on ligand-substrate interactions. The results of the screen of nonhydrogen-bond-donor analogues of substrate S4 are shown in Table 10. Remarkably, both ligand 4a and 4a-Me gave significantly lower conversion and ee values with the N-methylated substrate (S4-Me) than with substrate S4 (Table 10, entries 3 and 4 vs. entries 1 and 2). This result is due the lack of an NH proton in substrate S4-Me, which is then unable to interact with the ligand's amide oxygen. Consistently very low conversion (if any) was observed in the hydrogenation of enol ester S4-O, even under 100 bar hydrogen pressure (Table 10, entries 5-8). However, this result can also be explained by the different stereoelectronic properties

of enol esters and enamides. The hypothesized role of ligand-substrate hydrogen-bonding interactions is also consistent with the results obtained with substrate S5 and its non-hydrogen-bond-donor analogues S5-Me and S5-O (Table 11). With both ligands 4i and 4a-Me, substrate S5-Me was converted into the product in low yields (Table 11, entries 4 and 5). The dramatic drop in conversion observed (compared to substrate S5, entries 1 and 2) supports the postulated key role of hydrogen-bonding interactions between the NH atom of substrate S5 and the amide oxygen atom of the catalyst. It appears that the stereoselectivity of the hydrogenation with N-methylated substrate S5-Me is relatively high, irrespective of the ligand used (Table 11, entries 4-6). Even the poorly performing ligand 5a, which is devoid of hydrogen-bonding functionalities, gave a muchhigher ee value with substrate S5-Me compared to S5 (Table 11, entry 6 vs. entry 3). None of the ligands tested afforded the conversion of enol ester S5-O, even under 100 bar hydrogen pressure (Table 11, entries 7-10). This

> latter result is of particular interest if one considers that, unlike S4-O, substrate S5-O is not an enol ester and thusapart from the lack of hydrogen-bond-donor ability-the stereoelectronic properties of its double bond should quiteclosely resemble those of substrate **S5**. Taken together, these control experiments confirm that hydrogen bonding has a strong influence on the catalytic properties of the PhthalaPhos ligands, and are consistent with the results of the computational studies on an intermediate that

Table 10. Hydrogenation of substrate S4 and its analogues (S4-Me and S4-O) using ligands 4a and $4a\text{-}Me.^{[a]}$



Entry	Substrate	Ligand	<i>P</i> [bar]	Conv. [%]	<i>ee</i> [%] (abs. config or $[\alpha]_D$ sign)
1	S4 ^[b]	4a	12	100	96 (<i>R</i>)
2	S4 ^[b]	4a-Me	12	100	96 (R)
3	S4-Me ^[c]	4a	12	72	87 (+)
4	S4-Me ^[c]	4a-Me	12	62	87 (+)
5	S4-O ^[d]	4a	12	0	-
6	S4-O ^[d]	4a	100	3	n.d.
7	$\textbf{S4-O}^{[d]}$	4a-Me	12	0	_
8	S4-O ^[d]	4a-Me	100	2	n.d.

[a] Reaction conditions: substrate/ligand/[Rh(cod)₂BF₄]=100:2.2:1, solvent=CH₂Cl₂, c_0 (substrate)=0.024 M, T=25 °C. [b] Conversion and *ee* determined as specified in the footnotes of Table 4. [c] Conversion and *ee* determined by GC analysis with a chiral capillary column (MEGADEX DACTBS β , diacetyl-*tert*-butylsilyl- β -cyclodextrin); correlation of [α]_D sign with absolute configuration has still not been established. [d] Conversion determined by ¹H NMR spectroscopic analysis of the crude reaction mixture; *ee* determined by HPLC equipped with a chiral column (Phenomenex Lux Cellulose 3).

Table 11. Hydrogenation of substrate S5 and its analogues (S5-Me and S5-O) using ligands 4i and 4a-Me.^[a]

O Př	X COOMe P5: X = NH P5-Me: X = NMe P5-O: X = O				
Entry	Substrate	Ligand	P [bar]	Conv. [%]	$ee [\%] ([\alpha]_{\rm D} \operatorname{sign})^{[b]}$
1	S5 ^[c]	4i	50	100	99 (+)
2	S5 ^[c]	4a-Me	50	100	81 (+)
3	S5 ^[c]	5a	50	6	32 (+)
4	S5-Me ^[d]	4i	50	31	97 (+)
5	S5-Me ^[d]	4a-Me	50	14	88 (+)
6	S5-Me ^[d]	5a	50	4	91 (+)
7	S5-O ^[e]	4i	50	0	_
8	S5-O ^[e]	4i	100	0	-
9	S5-O ^[e]	4a-Me	50	0	_
10	85-0 ^[e]	4a-Me	100	0	_

[a] Reaction conditions: substrate/ligand/[Rh(cod)₂BF₄]=100:2.2:1, solvent=CH₂Cl₂, c_0 (substrate)=0.024 M, T=25 °C. [b] Correlation of $[\alpha]_D$ sign with absolute configuration has still not been established. [c] Conversion and *ee* determined as specified in the footnotes of Table 6. [d] Conversion determined by ¹H NMR spectroscopic analysis on the crude reaction mixture; *ee* determined by HPLC equipped with a chiral column (Phenomenex Lux Cellulose 2). [e] Conversion determined by ¹H NMR spectroscopic analysis on the crude reaction mixture; *ee* determined by HPLC equipped with a chiral column (Phenomenex Lux Cellulose 2). [e] Conversion determined by ¹H NMR spectroscopic analysis on the crude reaction mixture; *ee* determined by HPLC equipped with a chiral column (Daicel Chiralcel OD–H).

forms very close to the stereodiscriminating step of the hydrogenation process. Accordingly, the substrate orientation achieved by the formation of a hydrogen bond between its NH group and the ancillary amide oxygen of a ligand is relevant for the outstanding catalytic performances of the PhthalaPhos ligands.

Conclusions

A library of 19 chiral binol-monophosphite ligand that contain a phthalic acid secondary bis-amide group has been synthesized and screened in the rhodium-catalyzed hydrogenation of several prochiral dehydroamino esters and enamides. An outstanding level of stereocontrol has been achieved with three benchmark alkenes and two industrially relevant olefins that are commonly considered as challenging hydrogenation substrates. The role of the diamide group has been investigated by means of spectroscopic and computational studies on both a precatalyst complex and an intermediate in the hydrogenation catalytic cycle that is formed close to the stereodiscriminating step. As demonstrated for ligand 4a, interligand hydrogen-bonding interactions are likely to be present in all of the PhthalaPhos square-planar precatalyst rhodium complexes, and thus the ligands behave as "supramolecular bidentate ligands". However, as suggested by both computational and experimental evidence, the formation of a hydrogen bond between the amide oxygen atom of the ligand and the amide NH of the substrate may take place in the octahedral intermediates of the catalytic cycle and thus be responsible for substrate orientation during the hydrogenation process. The reversible and dynamic nature of hydrogen bonding is thus consistent with a scenario where the ligand-ligand interactions present in the precatalyst may break during the catalytic cycle (after dissociation of the cod ligand), and ligand-substrate interactions may take place instead, thereby possibly accounting for the faster rate of reaction and higher enantioselectivities observed.

Experimental Section

General remarks: All reactions were carried out in flame-dried glassware with magnetic stirring under a nitrogen atmosphere unless otherwise stated. The solvents were distilled over the following drying agents (given in parentheses) and transferred under nitrogen: CH2Cl2 (CaH2), MeOH (CaH₂), THF (Na), 1,4-dioxane (Na), Et₃N (CaH₂). Dry Et₂O and CHCl₃ (molecular sieves in bottles with crown cap) were purchased from Fluka and stored under nitrogen. The reactions were monitored by analytical thin-layer chromatography (TLC) using silica gel 60 F₂₅₄ pre-coated glass plates (0.25 mm thickness). Visualization was accomplished by irradiation with a UV lamp and/or staining with alkaline potassium permanganate solution. Flash chromatography was performed on silica gel (60 Å, particle size 40-64 µm) as the stationary phase, following the procedure by Still et al.^[43] Proton NMR spectra were recorded on a spectrometer operating at 400.13 MHz. Proton chemical shifts are reported in ppm (δ) with residual solvent referenced relative to tetramethylsilane (TMS) as the internal standard (CDCl₃, $\delta = 7.26$ ppm; CD₂Cl₂, $\delta = 5.32$ ppm; [D₆]DMSO, $\delta = 2.50$ ppm; CD₃OD, $\delta = 3.33$ ppm). The following abbreviations are used to describe spin multiplicity: s=singlet, d=doublet, t=triplet, q=quartet, m=multiplet, br=broad signal, dd=doublet of doublet, td= triplet of doublets. ¹³C NMR spectra were recorded on a 400 MHz spectrometer operating at 100.56 MHz, with complete proton decoupling. Carbon chemical shifts are reported in ppm (δ) relative to TMS with the respective solvent resonance as the internal standard (CDCl₃, $\delta =$

77.23 ppm; CD₂Cl₂, $\delta = 54.00$ ppm; [D]₆DMSO, $\delta = 39.51$ ppm; CD₃OD, $\delta\!=\!49.05$ ppm). ^{31}P NMR spectra were recorded on a 400 MHz spectrometer operating at 162 MHz, with complete proton decoupling. ³¹P NMR spectroscopic chemical shifts are reported in ppm (δ) relative to external 85% H₃PO₄ at 0 ppm (positive values indicate downfield shifts). ¹⁹F NMR spectra were recorded on a 300 MHz spectrometer operating at 282 MHz. ¹⁹F NMR spectroscopic chemical shifts are reported in ppm (δ) relative to external CFCl3 at 0 ppm (positive values indicate downfield shifts). The coupling constant values are given in Hz. Infrared spectra were recorded on a standard FT/IR spectrometer. Optical rotation values were measured on an automatic polarimeter with a 1 dm3 cell at the sodium D line (λ =589 nm). Gas chromatography was performed on a GC instrument equipped with a flame-ionization detector, using a chiral capillary column. High-resolution mass spectra (HRMS) were performed on a Fourier Transform Ion Cyclotron Resonance (FT-ICR) Mass Spectrometer APEX II & Xmass software (Bruker Daltonics), 4.7 T Magnet (Magnex) equipped with an ESI source, available at CIGA (Centro Interdipartimentale Grandi Apparecchiature) c/o Università degli Studi di Milano. Low-resolution mass spectra (MS) were acquired either on a Thermo-Finnigan LCQ Advantage mass spectrometer (ESI ion source) or on a VG Autospec M246 spectrometer (FAB ion source). Elemental analyses were performed on a Perkin-Elmer Series II CHNS/O Analyzer 2000.

Materials: Phthalic anhydride sometimes contains large amounts of phthalic acid. In such cases, the mixture can be easily re-converted into the pure anhydride by melting it in an open flask and strongly heating it for 10 min. On cooling to room temperature, pure phthalic anhydride crystallizes as a white solid. Phthalic anhydride was stored in a desiccator. The other commercially available starting materials were used as received. For the synthesis of non-commercially available amino alcohols, see the Supporting Information.

General procedure for the preparation of phthalic acid mono-amides 1a-1c: The amine (1 equiv) was added to a stirring solution of phthalic anhydride (1 equiv, 1.44 M; typical scale = 15 g) in CHCl₃; a white precipitate soon began to form. The mixture was heated to reflux and stirred for 3 h, then it was cooled with an ice bath. The precipitate was collected using a Buchner funnel and washed on the frit with 6:1 CHCl₃/*n*-hexane until the red impurities had disappeared. The product was dried under high vacuum.

Preparation of phthalisoimides 2a,b:

(3-(4-butylphenylimino)isobenzofuran-1(3H)-one) 2a:^[24] Trifluoroacetic anhydride (2.1 mL, 15.13 mmol, 1.5 equiv) was added dropwise to a stirring solution of acid **1a** (3 g, 10.09 mmol, 1 equiv) and Et₃N (4.2 mL, 30.27 mmol, 3 equiv) in 1,4-dioxane (45 mL) that was kept at 0 °C with an ice bath. After 5 min the yellow solution was allowed to warm to room temperature and was stirred for 15 min, then it was poured in cold H₂O (120 mL). A pale-yellow precipitate formed, which was collected by filtration using a Buchner funnel and washed with H₂O. The product was dried for 20 min on the filter and then overnight under high vacuum. A pale yellow solid was obtained. Yield: 2.72 g (97%); m.p. 58-61°C; ¹H NMR (400 MHz, CD₂Cl₂): $\delta = 8.11$ (d, ³J(H,H) = 7.6 Hz, 1 H), $\delta 8.00$ (d, ${}^{3}J(H,H) = 7.6$ Hz, 1 H), δ 7.90 (t, ${}^{3}J(H,H) = 7.6$ Hz, 1 H), 7.80 (t, ${}^{3}J_{-}$ (H,H) = 7.6 Hz, 1H), 7.41 (d, ${}^{3}J(H,H) = 8.2$ Hz, 2H), 7.28 (d, ${}^{3}J(H,H) =$ 8.2 Hz, 2H), 2.69 (t, ³*J*(H,H)=7.8 Hz, 2H), 1.68 (m, 2H), 1.43 (m, 2H), 1.00 ppm (t, J(H,H) = 7.4 Hz, 3H); ¹³C NMR (100 MHz, CD₂Cl₂): $\delta =$ 165.5, 147.2, 142.2, 142.1, 137.8, 136.0, 133.6, 129.5, 128.2, 125.7, 125.1, 124.0, 35.8, 34.2, 22.9, 14.3 ppm; IR (KBr): $\tilde{\nu} = 2956.3$, 2855.1, 1791.6, 1689.3, 915.1 cm⁻¹; MS (ESI+): m/z 280.3 $[M+H]^+$ (calcd for C₁₈H₁₈NO₂: 280.1); elemental analysis calcd (%) for C₁₈H₁₇NO₂: C 77.40, H 6.13, N 5.01; found: C 77.33, H 6.32, N 4.97.

3-(3,5-Bis(trifluoromethyl)phenylimino)isobenzofuran-1(3*H***)-one 2b**: Trifluoroacetic anhydride (0.276 mL, 1.988 mmol, 1.5 equiv) was added dropwise to a stirring solution of acid **1b** (0.5 g, 1.325 mmol, 1 equiv) and Et₃N (0.185 mL, 1.325 mmol, 1 equiv) in THF (6 mL) kept at 0°C with an ice bath. After 5 min the solution was allowed to warm to room temperature and was stirred for 10 min. A second portion of Et₃N (0.37 mL, 3.976 mmol, 2 equiv) was added dropwise, and the solution was stirred for 20 min at room temperature. The volatile compounds were removed under reduced pressure and the product was purified by flash chromatography on silica gel through a short pad of silica (1:1 *n*-hexane/CH₂Cl₂). Compound **2b** was obtained as a white solid. Yield: 471 mg (99%); m.p. 127–129°C; ¹H NMR (400 MHz, CDCl₃): δ =8.15 (d, ³*J*(H,H)=7.6 Hz, 1H), 8.06 (d, ³*J*(H,H)=7.6 Hz, 1H), 7.97 (td, ³*J*(H,H)=7.6 Hz, ⁴*J*(H,H)= 0.9 Hz, 1H), 7.90 (td, ³*J*(H,H)=7.6 Hz, ⁴*J*(H,H)=0.7 Hz, 1H), 7.82 (s, 2H), 7.80 ppm (s, 1H); ¹³C NMR (100 MHz, CDCl₃): δ =164.4, 150.7, 146.5, 136.7, 136.5, 134.7, 132.7 (q, ²*J*(C,F)=33.5 Hz), 128.3, 126.2, 124.5, 124.5, 123.9 (q, ¹*J*(C,F)=272.2 Hz), 119.9 ppm (m); ¹⁹F NMR (282 MHz, CDCl₃): δ =-62.2 ppm; IR (film): $\tilde{\nu}$ =3083.6, 3042.2, 1827.2, 1796.4, 1700.9, 1279.5, 1118.5 cm⁻¹; MS (FAB+): *m/z* 360.0 [*M*+H]⁺ (calcd for C₁₆H₈F₆NO₂: 360.0); elemental analysis calcd (%) for C₁₆H₇F₆NO₂: C53.50, H 1.96, N 3.90; found: C 53.35, H 1.88, N 3.90.

General procedure for the preparation of alcohols 3a-1 and 3n-3s: Phthalisoimide 2a or 2b (1 equiv, typical scale 0.3 g) was added to stirring solution of the chosen amino alcohol (1.2 equiv, 0.11 M) in THF. The mixture was stirred overnight at room temperature. Two alternative workup procedures were followed depending on whether the product precipitated out of solution or not.

Workup 1 (soluble product): the mixture was diluted with EtOAc (triple the volume of THF) and washed three times with 1 M HCl. The organic phase was dried with Na₂SO₄ and evaporated. The product was purified by flash chromatography on silica gel.

Workup 2 (insoluble product): the precipitate was collected by filtration using a Buchner funnel and washed on the frit with small volumes of 1:1 Et_2O/n -hexane until the yellow impurities had disappeared. The product obtained from this workup procedure did not need chromatographic purification.

General procedure for the preparation of phosphites 4a–4s and 4a-Me: Two alternative, slightly different procedures were followed depending on whether the starting alcohol was soluble in THF or not.

General procedure 1: (*S*)-binol–PCl or (*R*)-3,3'-dimethyl-binol–PCl (1 equiv, typical scale = 0.3 g) was added to a stirring solution of the selected alcohol (1 equiv, 0.1 M) and Et₃N (3 equiv) in THF. The obtained mixture was stirred overnight and then collected by filtration through a pad of Celite (washing with THF). The solvent was evaporated under reduced pressure and the crude product was purified by flash chromatography on silica gel.

General procedure 2: (*S*)-Binol-PCl (1 equiv, typical scale =0.3 g) was added to a stirring suspension of the selected alcohol (1 equiv) and Et₃N (3 equiv) in 6:4 THF/CH₂Cl₂ (ca. 0.1 M). The obtained mixture was stirred overnight and then Et₂O (half of the volume of the THF/CH₂Cl₂ mixture) was added. The mixture was collected by filtration through a pad of Celite (washing with THF), then the solvent was evaporated under reduced pressure and the crude product was purified by flash chromatography on silica gel.

N¹-(4-Butylphenyl)-N²-(3-(((11bS)-dinaphtho[2,1-d:1',2'-f][1,3,2]dioxa-

phosphepin-4-yloxy)methyl)phenyl)phthalamide 4a: The product was prepared according to general procedure 1 starting from (S)-binol-PCl (0.314 g) and alcohol 3a (0.36 g) in the presence of Et₃N (0.375 mL). Purification by flash chromatography on silica gel (CH2Cl2 and then 95:5 CH₂Cl₂/Et₂O) gave the product as a white solid. Yield: 0.473 g (74%); m.p. 114–121 °C; $[a]_D^{19} = +277.6$ (c=1.0 in CH₂Cl₂); ¹H NMR (400 MHz, CD_2Cl_2): $\delta = 9.40$ (s, 1H), 9.02 (s, 1H), 8.04 (d, ${}^{3}J(H,H) = 8.8$ Hz, 1H), 8.00 (d, ${}^{3}J(H,H) = 8.4$ Hz, 1 H), 7.93 (d, ${}^{3}J(H,H) = 8.8$ Hz, 1 H), 7.92 (d, ${}^{3}J$ -(H,H)=8.2 Hz, 1 H), 7.59-7.56 (m, 3 H), 7.53-7.42 (m, 6 H), 7.39-7.27 (m, 7H), 7.23 (t, ${}^{3}J(H,H) = 8.0$ Hz, 1H), 7.04 (d, ${}^{3}J(H,H) = 8.4$ Hz, 2H), 7.00 (d, ${}^{3}J(H,H) = 8.0$ Hz, 1 H), 4.92 (dd, ${}^{2}J(H,H) = 12.3$ Hz, ${}^{3}J(H,P) = 8.0$ Hz, 1H), 4.70 (dd, ${}^{2}J(H,H) = 12.3$ Hz, ${}^{3}J(H,P) = 8.0$ Hz, 1H), 2.53 (t, ${}^{3}J$ -(H,H) = 7.8 Hz, 2H), 1.54 (m, 2H), 1.33 (m, 2H), 0.92 ppm (t, ${}^{3}J(H,H) =$ 7.3 Hz, 3H); ¹³C NMR (100 MHz, CD₂Cl₂): $\delta = 167.9$, 149.2, 148.1, 139.8, 139.0, 138.5, 136.3, 135.7, 135.6, 133.3, 133.1, 132.2, 131.7, 131.1, 131.0, 130.9, 129.5, 129.3, 129.1, 129.1, 128.8, 127.4, 127.0, 126.9, 125.8, 125.6, 124.1, 123.2, 122.5, 122.3, 121.6, 120.8, 120.4, 119.8, 67.2 (d, ${}^{2}J(C,P) =$ 5.6 Hz), 35.6, 34.3, 23.0, 14.3 ppm; ³¹P NMR (162 MHz, CD₂Cl₂): $\delta =$ 141.3 ppm (s); IR (film): $\tilde{\nu}$ = 3238.9, 3060.5, 2954.4, 1639.2, 1541.8, 1230.3, 823.5 cm⁻¹; HRMS (ESI+): m/z calcd for C₄₅H₃₇N₂O₅PNa: 739.23469 [*M*+Na]⁺; found: 739.23323.

$N^1 - (4 - Butylphenyl) - N^2 - (3 - (((11 bS) - dinaphtho [2, 1 - d: 1', 2' - f] [1, 3, 2] dioxa-line (1, 1, 2) - f] = (1, 2) - (1, 2)$

phosphepin-4-yloxy)methyl)benzyl)phthalamide 4b: The product was prepared according to the general procedure 2 starting from (S)-binol-PCl (0.337 g) and alcohol $\boldsymbol{3b}$ (0.40 g) in the presence of Et_3N (0.40 mL). Purification by flash chromatography on silica gel (CH₂Cl₂ and then 95:5 $CH_2Cl_2/Et_2O)$ gave the product as a white solid. Yield: 0.475 g (67%); m.p. 139–145 °C; $[\alpha]_D^{23} = +120.1$ (c=1.0 in CH₂Cl₂); ¹H NMR (400 MHz, CD₂Cl₂): $\delta = 8.80$ (s, 1 H), 8.06 (d, ³J(H,H) = 8.8 Hz, 1 H), 8.01 (d, ³J- $(H,H) = 8.2 \text{ Hz}, 1 \text{ H}), 7.95 \text{ (d, } {}^{3}J(H,H) = 9.0 \text{ Hz}, 1 \text{ H}), 7.92 \text{ (d, } {}^{3}J(H,H) =$ 7.8 Hz, 1 H), 7.79 (d, ${}^{3}J(H,H) = 7.1$ Hz, 1 H), 7.62 (dd, ${}^{3}J(H,H) = 7.4$ Hz, ⁴*J*(H,H)=1.5 Hz, 1 H), 7.58–7.43 (m, 7 H), 7.39–7.20 (m, 9 H), 7.15 (d, ³*J*- $(H,H) = 8.3 Hz, 2H), 6.89 (t, {}^{3}J(H,H) = 6.0 Hz, 1H), 4.91 (dd, {}^{2}J(H,H) =$ 12.3 Hz, ${}^{3}J(H,P) = 8.0$ Hz, 1 H), 4.71 (dd, ${}^{2}J(H,H) = 12.3$ Hz, ${}^{3}J(H,P) =$ 8.2 Hz, 1 H), 4.60 (d, ${}^{3}J(H,H) = 6.0$ Hz, 2 H), 2.62 (t, ${}^{3}J(H,H) = 7.8$ Hz, 2H), 1.62 (m, 2H), 1.39 (m, 2H), 0.97 ppm (t, ${}^{3}J(H,H) = 7.3$ Hz, 3H); ¹³C NMR (100 MHz, CD₂Cl₂): $\delta = 170.0$, 167.3, 149.2, 148.1, 139.7, 139.1, 138.2, 136.6, 135.7, 135.0, 133.4, 133.1, 132.2, 131.7, 131.0, 130.8, 130.8, 129.4, 129.1, 129.0, 128.9, 128.7, 127.3, 126.8, 126.8, 125.7, 125.5, 124.6, 124.0, 123.1, 122.4, 122.2, 120.7, 120.3, 119.7, 67.1 (d, ${}^{2}J(C,P) = 5.7 \text{ Hz})$, 44.3, 35.5, 34.2, 22.9, 14.3 ppm; 31 P NMR (162 MHz, CD₂Cl₂): $\delta =$ 141.8 ppm (s); IR (film): $\tilde{\nu}$ = 3243.7, 3058.6, 2954.4, 1635.3, 1538.9, 1230.0, 825.4 cm⁻¹; HRMS (ESI+): m/z calcd for $C_{46}H_{39}N_2O_5PNa$: 753.24888 [*M*+Na]⁺; found: 753.24782.

$N^1 - (4 - Butylphenyl) - N^2 - (4 - (((11 bS) - dinaphtho[2, 1 - d: 1', 2' - f][1, 3, 2] dioxa-line (1, 1, 2) -$

phosphepin-4-yloxy)methyl)phenyl)phthalamide 4c: The product was prepared according to the general procedure 1 starting from (S)-binol-PCl (0.174 g) and alcohol 3c (0.200 g) in the presence of Et₃N (0.208 mL). Purification by flash chromatography on silica gel $(\mathrm{CH}_2\mathrm{Cl}_2$ and then 95:5 CH₂Cl₂/Et₂O) gave the product as a white solid. Yield: 0.219 g (62%); m.p. 150–159°C; $[\alpha]_{\rm D}^{18} = +209.1$ (c=0.8 in CH₂Cl₂); ¹H NMR (400 MHz, CD₂Cl₂): $\delta = 8.96$ (s, 1 H), 8.53 (s, 1 H), 8.06 (d, ³J- $(H,H) = 8.8 Hz, 1 H), 8.01, (d, {}^{3}J(H,H) = 8.2 Hz, 1 H), 7.97 (d, {}^{3}J(H,H) = 8.2 Hz, 1 Hz,$ 8.6 Hz, 2H), 7.78 (m, 1H), 7.72 (m, 1H), 7.65 (d, ³*J*(H,H)=8.2 Hz, 2H), 7.60–7.46 (m, 7H), 7.39–7.29 (m, 7H), 7.18 (d, ${}^{3}J(H,H) = 8.3$ Hz, 2H), 5.00 (dd, ${}^{2}J(H,H) = 12.1 \text{ Hz}$, ${}^{3}J(H,P) = 8.0 \text{ Hz}$, 1 H), 4.78 (dd, ${}^{2}J(H,H) =$ 12.1 Hz, ${}^{3}J(H,P) = 8.3$ Hz, 1H), 2.61 (t, ${}^{3}J(H,H) = 7.8$ Hz, 2H), 1.60 (m, 2H), 1.37 (m, 2H), 0.95 ppm (t, ${}^{3}J(H,H) = 7.3$ Hz, 3H); ${}^{13}C$ NMR $(100 \text{ MHz}, \text{ CD}_2\text{Cl}_2): \delta = 168.2, 168.0, 149.3, 148.2, 139.2, 136.8, 135.6,$ 135.5, 133.4, 133.1, 132.2, 131.7, 131.0, 130.7, 130.3, 130.2, 129.0, 128.8, 128.5, 127.3, 126.8, 125.7, 125.5, 124.7, 124.6, 123.2, 122.4, 122.2, 120.6, 120.5, 67.1 (d, ${}^{2}J(C,P) = 4.6 \text{ Hz}$), 35.6, 34.2, 22.9, 14.3 ppm; ${}^{31}P$ NMR (162 MHz, CD₂Cl₂): $\delta = 141.8$ ppm (s); IR (film): $\tilde{\nu} = 3240.1$, 3059.1, 2954.4, 1639.2, 1541.8, 1230.0, 823.5 cm⁻¹; HRMS (ESI+): *m/z* calcd for C₄₅H₃₇N₂O₅PNa: 739.23323 [*M*+Na]⁺; found: 739.23437.

$N^{1}-(4-Butylphenyl)-N^{2}-(4-(((11\,bS)-dinaphtho[2,1-d:1',2'-f][1,3,2]dioxa-diox$

phosphepin-4-yloxy)methyl)benzyl)phthalamide 4d: The product was prepared according to the general procedure 1 starting from (S)-binol-PCl (0.278 g) and alcohol 3d (0.30 g) in the presence of Et₃N (0.30 mL). Purification by flash chromatography on silica gel (CH₂Cl₂ and then 95:5 $CH_2Cl_2\!/Et_2O)$ gave the product as a white solid. Yield: 0.342 g (65%); m.p. 110–130 °C; $[\alpha]_{D}^{18} = +239.6$ (c=0.93 in CH₂Cl₂); ¹H NMR (400 MHz, CD₂Cl₂): $\delta = 8.88$ (s, 1H), 8.06 (d, ${}^{3}J(H,H) = 8.8$ Hz, 1H), 8.01 (d, ${}^{3}J_{-1}$ $(H,H) = 8.3 Hz, 1H), 7.97 (d, {}^{3}J(H,H) = 8.7 Hz, 2H), 7.80 (d, {}^{3}J(H,H) =$ 7.0 Hz, 1 H), 7.62–7.46 (m, 8 H), 7.39–7.30 (m, 7 H), 7.20 (d, ³J(H,H) = 7.4 Hz, 2H), 7.18 (d, ${}^{3}J(H,H) = 7.4$ Hz, 2H), 6.88 (t, ${}^{3}J(H,H) = 5.9$ Hz, 1 H), 4.97 (dd, ${}^{2}J(H,H) = 12.2$ Hz, ${}^{3}J(H,P) = 8.0$ Hz, 1 H), 4.76 (dd, ${}^{2}J_{-}$ $(H,H) = 12.2 \text{ Hz}, {}^{3}J(H,P) = 8.2 \text{ Hz}, 1 \text{ H}), 4.60 \text{ (d, } {}^{3}J(H,H) = 5.9 \text{ Hz}, 2 \text{ H}),$ 2.61 (t, ${}^{3}J(H,H) = 7.6$ Hz, 2H), 1.61 (m, 2H), 1.37 (m, 2H), 0.95 ppm (t, $^{3}J(H,H) = 7.3$ Hz, 3H); ^{13}C NMR (100 MHz, CD₂Cl₂): $\delta = 170.0$, 167.4, 149.3, 148.1, 139.7, 138.7, 137.0, 136.6, 135.7, 135.0, 133.4, 133.1, 132.2, $131.7,\ 131.1,\ 130.8,\ 130.7,\ 130.6,\ 129.2,\ 129.1,\ 129.0,\ 129.0,\ 128.5,\ 128.4,$ 128.3, 127.3, 126.9, 126.9, 125.7, 125.6, 124.6, 123.2, 122.3, 122.1, 120.8, 67.0 (d, ${}^{2}J(C,P) = 5.7 \text{ Hz}$), 44.2, 35.6, 34.3, 22.9, 14.3 ppm; ${}^{31}P$ NMR (162 MHz, CD₂Cl₂): $\delta = 141.6$ ppm (s); IR (film): $\tilde{\nu} = 3259.1$, 3058.6, 2954.4, 1637.3, 1540.8, 1230.0, 824.4 cm⁻¹; HRMS (ESI+): m/z calcd for C46H39N2O5PNa: 753.24888 [M+Na]+; found: 753.24963.

N¹-(4-Butylphenyl)-N²-(2-(((11bS)-dinaphtho[2,1-d:1',2'-f][1,3,2]dioxaphosphepin-4-yloxy)methyl)benzyl)phthalamide 4e: The product was prepared according to the general procedure 2 starting from (*S*)-binol– PCl (0.287 g) and alcohol **3e** (0.340 g) in the presence of Et₃N

FULL PAPER

PCl (0.287 g) and alcohol 3e (0.340 g) in the presence of Et₃N (0.342 mL). Purification by flash chromatography on silica gel (CH₂Cl₂ and then 95:5 CH₂Cl₂/Et₂O) gave the product as a white solid. Yield: 0.412 g (69%); m.p. 115–122°C; $[a]_{D}^{20} = +313.5$ (c=0.87 in CH₂Cl₂); ¹H NMR (400 MHz, CD₂Cl₂): $\delta = 8.91$ (s, 1 H), 8.04 (d, ³J(H,H) = 8.8 Hz, 1 H), 8.00 (d, ${}^{3}J(H,H) = 8.2$ Hz, 1 H), 7.89 (d, ${}^{3}J(H,H) = 8.8$ Hz, 1 H), 7.88 (d, ${}^{3}J(H,H) = 8.0$ Hz, 1H), 7.70 (d, ${}^{3}J(H,H) = 7.7$ Hz, 1H), 7.52–7.38 (m, 7H), 7.34–7.20 (m, 10H), 7.16 (d, ${}^{3}J(H,H) = 8.3$ Hz, 2H), 6.76 (t, ${}^{3}J$ - $(H,H) = 5.4 \text{ Hz}, 1 \text{ H}), 5.13 \text{ (dd, } {}^{2}J(H,H) = 12.1 \text{ Hz}, {}^{3}J(H,P) = 7.8 \text{ Hz}, 1 \text{ H}),$ 4.98 (dd, ${}^{2}J(H,H) = 12.1$ Hz, ${}^{3}J(H,P) = 8.4$ Hz, 1H), 4.61 (dd, ${}^{2}J(H,H) =$ 14.7 Hz, ${}^{3}J(H,P) = 5.9$ Hz, 1H), 4.53 (dd, ${}^{2}J(H,H) = 14.7$ Hz, ${}^{3}J(H,P) =$ 5.7 Hz, 1H), 2.63 (t, ³*J*(H,H)=7.8 Hz, 2H), 1.64 (m, 2H), 1.40 (m, 2H), 0.98 ppm (t, ${}^{3}J(H,H) = 7.8$ Hz, 3H); ${}^{13}C$ NMR (100 MHz, CD₂Cl₂): $\delta =$ 169.6, 166.8, 148.9, 147.8, 139.7, 137.3, 136.5, 135.7, 135.6, 134.7, 133.3, 133.0, 132.2, 131.6, 131.1, 130.8, 130.7, 130.4, 130.2, 129.7, 129.6, 129.3, 129.0, 128.9, 128.5, 128.3, 127.3, 127.3, 126.9, 126.9, 125.8, 125.6, 124.5, 123.2, 122.2, 122.0, 121.9, 120.6, 65.6 (d, ${}^{2}J(C,P) = 9.3$ Hz), 41.9, 35.6, 34.3, 22.9, 14.3 ppm; ³¹P NMR (162 MHz, CD_2Cl_2): $\delta = 144.0$ ppm (s); IR (film): $\tilde{\nu} = 3245.6$, 3058.8, 2954.4, 1636.3, 1541.8, 1230.0, 824.4 cm⁻¹; HRMS (ESI+): m/z calcd for C₄₆H₃₉N₂O₅PNa: 753.24888 [M+Na]⁺; found: 753.24983.

$N^1 - (4-Butylphenyl) - N^2 - (3-(((11\,bS)-dinaphtho[2,1-d:1',2'-f][1,3,2]dioxa-di$

phosphepin-4-yloxy)methyl)phenethyl)phthalamide 4 f: The product was prepared according to the general procedure 1 starting from (S)-binol-PCl (0.137 g) and alcohol 3f (0.390 g) in the presence of Et₃N (0.163 mL). Purification by flash chromatography on silica gel (CH₂Cl₂ and then 95:5 CH₂Cl₂/Et₂O) gave the product as a white solid. Yield: 0.183 g (63%); m.p. 105–116°C; $[\alpha]_D^{20} = +201.7$ (c=0.8 in CH₂Cl₂); ¹H NMR (400 MHz, CD₂Cl₂): $\delta = 9.21$ (s, 1 H), 8.06 (d, ³J(H,H) = 8.8 Hz, 1 H), 8.01 (d, ${}^{3}J(H,H) = 8.3$ Hz, 1 H), 7.96 (d, ${}^{3}J(H,H) = 8.7$ Hz, 2 H), 7.73 (d, ${}^{3}J(H,H) = 7.4$ Hz, 1H), 7.58 (d, ${}^{3}J(H,H) = 8.8$ Hz, 1H), 7.57 (d, ${}^{3}J_{-}$ (H,H)=8.1 Hz, 2H), 7.52-7.28 (m, 11H), 7.19-7.17 (m, 5H), 6.55 (bs, 1 H), 5.00 (dd, ${}^{2}J(H,H) = 12.2$ Hz, ${}^{3}J(H,P) = 7.9$ Hz, 1 H), 4.80 (dd, ${}^{2}J_{-}$ $(H,H) = 12.2 \text{ Hz}, {}^{3}J(H,P) = 8.4 \text{ Hz}, 1 \text{ H}), 3.64 \text{ (m, 2H)}, 2.88 \text{ (t, } {}^{3}J(H,P) = 12.2 \text{ Hz}, 3.33 \text{ Hz}, 1 \text{ Hz}, 1 \text{ Hz})$ 7.1 Hz, 2H), 2.62 (t, ${}^{3}J(H,P) = 7.6$ Hz, 2H), 1.63 (m, 2H), 1.38 (m, 2H), 0.96 ppm (t, ${}^{3}J(H,P) = 7.3 \text{ Hz}, 3 \text{ H}$); ${}^{13}C \text{ NMR}$ (100 MHz, CD₂Cl₂): $\delta =$ $170.3,\ 167.1,\ 149.2,\ 148.1,\ 139.9,\ 139.6,\ 138.1,\ 136.8,\ 135.6,\ 135.4,\ 133.4,$ 133.1, 132.2, 131.7, 131.1, 130.8, 130.4, 129.3, 129.2, 129.1, 129.0, 128.6, 128.2, 127.3, 126.9, 126.3, 125.7, 125.6, 124.6, 123.2, 122.4, 122.1, 120.7, 67.2 (d, ${}^{2}J(C,P) = 4.6$ Hz), 41.8, 35.8, 35.6, 34.3, 22.9, 14.3 ppm; ${}^{31}P$ NMR (162 MHz, CD₂Cl₂): $\delta = 142.2$ ppm (s); IR (film): $\tilde{\nu} = 3240.6$, 3058.5, 2954.4, 1636.3, 1541.8, 1230.0, 825.4 cm⁻¹; HRMS (ESI+): m/z calcd for C47H42N2O5P: 745.28259 [M+H]+; found: 745.28262, and m/z calcd for C47H41N2O5PNa: 767.26453 [M+Na]+; found: 767.26300.

N¹-(4-Butylphenyl)-N²-(4-(((11bS)-dinaphtho[2,1-d:1',2'-f][1,3,2]dioxaphosphepin-4-yloxy)methyl)phenethyl)phthalamide 4g: The product was prepared according to the general procedure 2 starting from (S)-binol-PCl (0.275 g) and alcohol 3g (0.338 g) in the presence of Et₃N (0.328 mL). Purification by flash chromatography on silica gel (CH_2Cl_2 and then 95:5 CH₂Cl₂/Et₂O) gave the product as a white solid. Yield: 0.415 g (71%); m.p. 109–117°C; $[\alpha]_D^{20} = +248.8$ (*c*=0.8 in CH₂Cl₂); ¹H NMR (400 MHz, CD₂Cl₂): $\delta = 9.22$ (s, 1 H), 8.06 (d, ³J(H,P) = 8.8 Hz, 1 H), 8.01 (d, ${}^{3}J(H,P) = 8.3$ Hz, 1 H), 7.96 (d, ${}^{3}J(H,P) = 9.0$ Hz, 2 H), 7.74 (d, ${}^{3}J(H,P) = 7.4$ Hz, 1 H), 7.58 (m, 3 H), 7.52–7.29 (m, 10 H), 7.23 (m, 4H), 7.19 (d, ${}^{3}J(H,P) = 8.5$ Hz, 2H), 6.62 (t, ${}^{3}J(H,P) = 5.6$ Hz, 1H), 4.98 $(dd, {}^{2}J(H,H) = 12.1 Hz, {}^{3}J(H,P) = 8.0 Hz, 1 H), 4.77 (dd, {}^{2}J(H,H) =$ 12.1 Hz, ${}^{3}J(H,P) = 8.2$ Hz, 1 H), 3.65 (q, ${}^{3}J(H,H) = 6$ Hz, 2 H), 2.89 (t, ${}^{3}J$ - $(H,P) = 7.1 Hz, 2H), 2.63 (t, {}^{3}J(H,P) = 7.6 Hz, 2H), 1.63 (m, 2H), 1.39$ (m, 2H), 0.97 ppm (t, ${}^{3}J(H,P) = 7.3 \text{ Hz}$, 3H); ${}^{13}C \text{ NMR}$ (100 MHz, CD_2Cl_2): $\delta = 170.2, 167.5, 149.3, 148.1, 139.8, 139.4, 137.0, 135.9, 135.7,$ 135.4, 133.4, 133.1, 132.2, 131.7, 131.1, 130.8, 130.5, 130.2, 129.4, 129.1, 129.0, 129.0, 128.4, 128.1, 127.3, 126.9, 126.9, 125.7, 125.6, 124.6, 123.2, 122.4, 122.1, 120.7, 67.2 (d, ${}^{2}J(C,P) = 4.8 \text{ Hz}$), 41.8, 35.6, 35.5, 34.3, 22.9, 14.4 ppm; ³¹P NMR (162 MHz, CD₂Cl₂): $\delta = 141.9$ ppm (s); IR (film): $\tilde{\nu} =$ 3252.4, 3073.0, 2954.3, 1635.3, 1540.8, 1230.0, 823.5 cm⁻¹; HRMS (ESI+): m/z calcd for C₄₇H₄₁N₂O₅PNa: 767.26453 [*M*+Na]⁺; found: 767.26494.

A EUROPEAN JOURNAL

N¹-(3,5-Bis(trifluoromethyl)phenyl)-N²-(3-(((11bS)-dinaphtho[2,1-d:1',2'f][1,3,2]dioxaphosphepin-4-yloxy)methyl)phenyl)phthalamide 4h: The product was prepared according to the general procedure 1 starting from (S)-binol–PCl (0.168 g) and alcohol 3h (0.230 g) in the presence of Et₃N (0.2 mL). Purification by flash chromatography on silica gel (CH₂Cl₂ and then 95:5 $CH_2Cl_2\!/Et_2O)$ gave the product as a white solid. Yield: 0.296 g (78%); m.p. 165–176°C; $[\alpha]_{D}^{21} = +216.7$ (c=0.75 in CH₂Cl₂); ¹H NMR (400 MHz, CD_2Cl_2): $\delta = 10.53$ (s, 1 H), 9.16 (s, 1 H), 8.07 (s, 2 H), 7.96 (d, ${}^{3}J(H,H) = 8.8 \text{ Hz}, 1 \text{ H}), 7.92 \text{ (d, } {}^{3}J(H,H) = 8.2 \text{ Hz}, 1 \text{ H}), 7.85 \text{ (d, } {}^{3}J(H,H) =$ 8.7 Hz, 1 H), 7.83 (d, ${}^{3}J(H,H) = 7.5$ Hz, 1 H), 7.63 (s, 1 H), 7.45 (d, ${}^{3}J_{-}$ (H,H)=8.8 Hz, 1H), 7.42-7.34 (m, 4H), 7.31-7.15 (m, 6H), 7.04 (m, 1 H), 6.96 (d, ${}^{3}J(H,H) = 7.7$ Hz, 2 H), 6.89 (m, 2 H), 4.87 (dd, ${}^{2}J(H,H) =$ 12.4 Hz, ${}^{3}J(H,P) = 8.1$ Hz, 1 H), 4.69 ppm (dd, ${}^{2}J(H,H) = 12.4$ Hz, ${}^{3}J_{-}$ $(H,P) = 8.2 \text{ Hz}, 1 \text{ H}); {}^{13}\text{C NMR} (100 \text{ MHz}, \text{ CD}_2\text{Cl}_2): \delta = 168.7, 168.4,$ 149.1, 148.0, 140.6, 138.7, 138.5, 135.7, 134.8, 133.3, 133.1, 132.2, 132.1 (q, ²*J*(C,F)=33.3 Hz), 131.6, 131.2, 131.0, 130.8, 130.7, 129.6, 129.0, 128.9, 128.5, 128.0, 127.3, 127.3, 126.9, 126.8, 125.7, 125.5, 124.6, 124.5, 123.7 (q, ${}^{1}J(C,F) = 272.6 \text{ Hz}$, 123.1, 122.3, 122.0, 120.4, 119.9, 119.4, 117.8, 66.9 ppm (d, ${}^{2}J(C,P) = 6.7 \text{ Hz}$); ${}^{31}P \text{ NMR}$ (162 MHz, CD₂Cl₂): $\delta =$ 141.0 ppm (s); ¹⁹F NMR (282 MHz, CD₂Cl₂): $\delta = -62.2$ ppm (s); IR (film): $\tilde{\nu} = 3220.4$, 1638.2, 1380.8, 1276.0, 1230.0, 823.5 cm⁻¹; HRMS (ESI+): m/z calcd for $C_{43}H_{27}F_6N_2O_5PNa$: 819.14540 [*M*+Na]⁺; found: 819.14729.

N¹-(3,5-Bis(trifluoromethyl)phenyl)-N²-(3-(((11bS)-dinaphtho[2,1-d:1',2'f][1,3,2]dioxaphosphepin-4-yloxy)methyl)benzyl)phthalamide 4i: The product was prepared according to the general procedure 1 starting from (S)-binol-PCl (0.234 g) and alcohol 3i (0.330 g) in the presence of Et₃N (0.279 mL). Purification by flash chromatography on silica gel (CH₂Cl₂) and then 95:5 CH₂Cl₂/Et₂O) gave the product as a white solid. Yield: 0.413 g (76%); m.p. 138–145°C; $[a]_D^{21} = +229.8$ (c = 0.95 in CH₂Cl₂); ¹H NMR (400 MHz, CD₂Cl₂): $\delta = 10.81$ (s, 1 H), 8.16 (s, 2 H), 8.02 (d, ³J- $(H,H) = 8.8 \text{ Hz}, 1 \text{ H}), 7.98 \text{ (d, } {}^{3}J(H,H) = 8.2 \text{ Hz}, 1 \text{ H}), 7.92 \text{ (d, } {}^{3}J(H,H) =$ 8.8 Hz, 1 H), 7.90 (d, ³J(H,H)=8.1 Hz, 1 H), 7.54–7.25 (m, 12 H), 7.22– 7.16 (m, 2H), 6.69 (t, ${}^{3}J(H,H) = 5.7$ Hz, 1H), 5.03 (dd, ${}^{2}J(H,H) = 12.3$ Hz, ${}^{3}J(H,P) = 8.2 \text{ Hz}, 1 \text{ H}), 4.85 \text{ (dd, } {}^{2}J(H,H) = 12.3 \text{ Hz}, {}^{3}J(H,P) = 8.2 \text{ Hz}, 1 \text{ H}),$ 4.65 ppm (AB system, 2H); 13 C NMR (100 MHz, CD₂Cl₂): $\delta = 170.0$, 168.8, 149.2, 148.0, 141.2, 139.5, 138.3, 135.1, 134.4, 133.3, 133.1, 132.2, 132.1 (q, ${}^{2}J(C,F) = 33.2 \text{ Hz}$), 131.7, 131.1, 130.8, 130.3, 129.4, 129.0, 128.9, 128.4, 128.3, 127.7, 127.6, 127.4, 127.3, 127.3, 127.0, 126.9, 125.8, 125.6, 124.6, 123.8 (q, ¹*J*(C,F)=272.7 Hz), 123.2, 122.2, 122.0, 119.6, 117.2, 67.1 (d, ${}^{2}J(C,P) = 6.5$ Hz), 44.3 ppm; ${}^{31}P$ NMR (162 MHz, CD₂Cl₂): $\delta =$ 140.6 ppm (s); ¹⁹F NMR (282 MHz, CD₂Cl₂): $\delta = -62.2$ ppm (s); IR (film): $\tilde{\nu} = 3219.2$, 1635.3, 1382.7, 1281.0, 1230.0, 823.5 cm⁻¹; HRMS (ESI+): m/z calcd for $C_{44}H_{29}F_6N_2O_5PNa$: 833.16105 $[M+Na]^+$; found: 833.16280.

N¹-(4-Butylphenyl)-N²-(3-((11bS)-dinaphtho[2,1-d:1',2'-f][1,3,2]dioxa-

phosphepin-4-yloxy)phenyl)phthalamide 4j: The product was prepared according to the general procedure 1 starting from (S)-binol-PCl (0.351 g) and alcohol 3j (0.223 g) in the presence of Et₃N (0.24 mL). Purification by flash chromatography on silica gel (CH $_2$ Cl $_2$ and then 95:5 $CH_2Cl_2\!/Et_2O)$ gave the product as a white solid. Yield: 0.245 g (61%); m.p. 158–164 °C; $[\alpha]_D^{20} = +101.8$ (c=1.0 in CH₂Cl₂); ¹H NMR (400 MHz, CD_2Cl_2): $\delta = 9.17$ (s, 1H), 8.58 (s, 1H), 8.03 (d, ${}^{3}J(H,H) = 8.8$ Hz, 1H), 7.98 (d, ${}^{3}J(H,H) = 8.2$ Hz, 1 H), 7.91 (d, ${}^{3}J(H,H) = 8.6$ Hz, 2 H), 7.71–7.67 (m, 2H), 7.62 (m, 1H), 7.58 (d, ${}^{3}J(H,H) = 8.8$ Hz, 1H), 7.52 (d, ${}^{3}J(H,H) =$ 8.4 Hz, 2H), 7.49–7.42 (m, 5H), 7.38–7.24 (m, 6H), 7.12 (d, ${}^{3}J(H,H) =$ 8.3 Hz, 2 H), 6.92 (dd, ${}^{3}J(H,H) = 8.0$ Hz, ${}^{4}J(H,H) = 2.2$ Hz, 1 H), 2.54 (t, ${}^{3}J$ - $(H,H) = 7.6 Hz, 2H), 1.53 (m, 2H), 1.30 (m, 2H), 0.89 ppm (t, {}^{3}J(H,H) =$ 7.3 Hz, 3H); ¹³C NMR (100 MHz, CD₂Cl₂): $\delta = 168.4$, 168.1, 151.8, 148.0, 147.5, 140.7, 139.1, 136.9, 135.5, 134.8, 133.2, 132.9, 132.2, 131.8, 131.0, $130.5,\ 130.2,\ 129.8,\ 129.0,\ 129.0,\ 128.7,\ 128.5,\ 127.3,\ 127.2,\ 126.8,\ 125.8,$ 125.5, 124.8, 123.3, 122.3, 122.2, 120.5, 116.9, 116.2, 112.4, 35.6, 34.3, 23.0, 14.3 ppm; ³¹P NMR (162 MHz, CD₂Cl₂): $\delta = 145.8$ ppm (s); IR (film): $\tilde{\nu} =$ 3238.9, 3064.3, 2954.4, 1642.1, 1541.8, 1412.6, 1326.8, 1228.4, 824.4 cm⁻¹; HRMS (ESI+: m/z calcd for C₄₄H₃₅N₂NaO₅P: 725.21813 [*M*+Na]⁺; found: 725.21637.

 N^{1} -(4-Butylphenyl)- N^{2} -(4-((11bS)-dinaphtho[2,1-d:1',2'-f][1,3,2]dioxaphosphepin-4-yloxy)phenyl)phthalamide 4k: The product was prepared according to the general procedure 1 starting from (S)-binol-PCl (0.861 g) and alcohol 3k (0.778 g) in the presence of Et₃N (0.93 mL). Purification by flash chromatography on silica gel (CH2Cl2 and then 95:5 CH₂Cl₂/Et₂O) gave the product as a yellow solid. Yield: 0.927 g (60%); m.p. 140–145°C; $[\alpha]_{D}^{20} = +51.4$ (c=1.0 in CH₂Cl₂); ¹H NMR (400 MHz, CD_2Cl_2): $\delta = 9.21$ (s, 1H), 8.75 (s, 1H), 8.00 (d, ${}^{3}J(H,H) = 8.8$ Hz, 1H), 7.97 (d, ${}^{3}J(H,H) = 8.4$ Hz, 1 H), 7.94 (d, ${}^{3}J(H,H) = 8.9$ Hz, 1 H), 7.92 (d, ${}^{3}J$ - $(H,H) = 8.2 \text{ Hz}, 1 \text{ H}), 7.62 \text{ (d, } {}^{3}J(H,H) = 8.8 \text{ Hz}, 2 \text{ H}), 7.57-7.26 \text{ (m, 16 H)},$ 7.13 (m, 4H), 2.6 (t, ${}^{3}J(H,H) = 7.7$ Hz, 2H), 1.57 (m, 2H), 1.32 (m, 2H), 0.91 ppm (t, ${}^{3}J(H,H) = 7.3$ Hz, 3H); ${}^{13}C$ NMR (100 MHz, CD₂Cl₂): $\delta =$ 168.2, 168.1, 148.1, 148.0, 147.6, 139.3, 136.9, 136.2, 135.6, 135.4, 133.3, 133.0, 132.3, 131.8, 131.0, 130.5, 130.2, 130.1, 129.0, 128.8, 128.5, 128.4, 127.4, 127.2, 126.9, 126.8, 125.8, 125.6, 124.8, 123.4, 122.3, 122.0, 120.6, 35.7, 34.3, 23.0, 14.3 ppm; ³¹P NMR (162 MHz, CD₂Cl₂): $\delta = 146.2$ ppm; IR (film): $\tilde{\nu}$ = 3067.2, 2954.4, 1640.2, 1540.9, 1410.7, 1328.7, 1202.4, 826.3 cm⁻¹; HRMS (ESI+): m/z calcd for C₄₄H₃₅N₂O₅P: 725.21813 [*M*+Na]⁺; found: 725.21599.

N¹-(4-Butylphenyl)-N²-(7-((11bS)-dinaphtho[2,1-d:1',2'-f][1,3,2]dioxa-

phosphepin-4-yloxy)naphthalen-1-yl)phthalamide 41: The product was prepared according to the general procedure 1 starting from (S)-binol-PCI (0.190 g) and alcohol **31** (0.238 g) in the presence of Et_3N (0.23 mL). Purification by flash chromatography on silica gel (CH2Cl2 and then 95:5 CH₂Cl₂/EtOAc) gave the product as a white solid. Yield: 0.271 g (67%); m.p. 150–160 °C; $[\alpha]_D^{20} = +76.5$ (c = 1.0 in CH₂Cl₂); ¹H NMR (400 MHz, CD_2Cl_2): $\delta = 8.62$ (s, 1H), 8.46 (s, 1H), 8.05 (d, ${}^{3}J(H,H) = 8.8$ Hz, 1H), 7.99 (d, ${}^{3}J(H,H) = 8.3$ Hz, 1H), 7.89–7.72 (m, 7H), 7.60 (d, ${}^{3}J(H,H) =$ 8.8 Hz, 1 H), 7.57–7.22 (m, 12 H), 7.49 (d, ${}^{3}J(H,H) = 8.2$ Hz, 2 H), 7.07 (d, ${}^{3}J(H,H) = 8.2$ Hz, 2H), 2.51 (t, ${}^{3}J(H,H) = 7.7$ Hz, 2H), 1.51 (m, 2H), 1.3 (m, 2H), 0.88 ppm (m, 3H); ¹³C NMR (100 MHz, CD₂Cl₂): $\delta = 168.6$, 167.6, 150.8, 148.5, 147.6, 140.2, 136.1, 135.8, 135.6, 133.4, 133.0, 132.7, 132.4, 131.9, 131.9, 131.8, 131.2, 130.5, 129.6, 129.4, 129.1, 129.0, 127.4, 127.2, 127.1, 126.9, 127.0, 125.9, 125.7, 125.4, 124.9, 123.2, 122.3, 122.3, 121.7, 120.8, 111.8, 111.7, 35.6, 34.2, 22.9, 14.3 ppm; ³¹P NMR (162 MHz, CD₂Cl₂): $\delta = 144.3$ ppm; IR (film): $\tilde{\nu} = 3247.5$, 3057.6, 2954.4, 1644.0, 1538.0, 1411.6, 1328.7, 1229.4, 825.4 cm⁻¹; HRMS (ESI+): m/z calcd for C₄₈H₃₇N₂NaO₅P: 775.23378 [*M*+Na]⁺; found: 775.23122.

N¹-Butyl-N²-(3-((11bS)-dinaphtho[2,1-d:1',2'-f][1,3,2]dioxaphosphepin-4loxy)phenyl)phthalamide 4m: The product was prepared according to the general procedure 1 starting from (S)-binol-PCl (0.225 g) and alcohol 3m (0.200 g) in the presence of Et₃N (0.27 mL). Purification by flash chromatography on silica gel (CH2Cl2 and then 98:2 to 9:1 CH2Cl2/ EtOAc) gave the product as a white solid. Yield: 0.202 g (50%); m.p. 163–170 °C; $[\alpha]_{D}^{20} = +83.8$ (c=1.0 in CH₂Cl₂); ¹H NMR (400 MHz, CD₂Cl₂): $\delta = 9.61$ (s, 1H), 8.05 (d, ³J(H,H) = 8.8 Hz, 1H), 8.00 (d, ³J- $(H,H) = 8.8 \text{ Hz}, 1 \text{ H}), 7.99-7.95 \text{ (m, 2H)}, 7.87 \text{ (d, } {}^{3}J(H,H) = 7.1 \text{ Hz}, 1 \text{ H}),$ 7.74 (s, 1 H), 7.61 (d, ³*J*(H,H)=8.8 Hz, 1 H), 7.57–7.43 (m, 6 H), 7.39–7.26 (m, 6H), 6.96 (d, ${}^{3}J(H,H) = 7.9$ Hz, 1H), 6.34 (s, 1H), 3.41 (q, ${}^{3}J(H,H) =$ 6.9 Hz, 2 H), 1.52 (m, 2 H), 1.31 (m, 2 H), 0.85 ppm (t, ³J(H,H)=7.3 Hz, 3H); 13 C NMR (100 MHz, CD₂Cl₂): $\delta = 170.6$, 166.9, 152.4, 148.1, 147.6, 140.6, 135.5, 135.2, 133.4, 133.1, 132.3, 131.9, 131.2, 131.1, 130.7, 130.6, $130.5,\ 130.1,\ 129.0,\ 128.2,\ 127.4,\ 127.3,\ 127.0,\ 126.9,\ 125.9,\ 125.7,\ 124.9,$ 123.4, 122.3, 122.2, 116.6, 116.5, 112.7, 112.6, 40.6, 32.0, 20.6, 14.0 ppm; ³¹P NMR (162 MHz, CD₂Cl₂): $\delta = 146.1$ ppm; IR (film): $\tilde{\nu} = 2958.3$, 1633.9, 1547.6, 1436.7, 1324.9, 1229.4, 824.4 cm⁻¹; HRMS (ESI+): m/z calcd for C₃₈H₃₁N₂NaO₅P: 649,18683 [M+Na]⁺; found: 649.18507.

N^1 -(4-Butylphenyl)- N^2 -(7-((11bS)-dinaphtho[2,1-d:1',2'-f][1,3,2]dioxa-

phosphepin-4-yloxy)naphthalen-2-yl)phthalamide 4n: The product was prepared according to the general procedure 1 starting from (*S*)-binol–PCl (0.352 g) and alcohol **3n** (0.438 g) in the presence of Et₃N (0.42 mL). Purification by flash chromatography on silica gel (98:2 and then 95:5 CH₂Cl₂/Et₂O) gave the product as a white solid. Yield: 0.300 g (40%); m.p. 170–178 °C; $[a]_{D}^{20} = -23.1$ (*c*=1.0 in CH₂Cl₂); ¹H NMR (400 MHz, CD₂Cl₂): δ =10.48 (s, 1H), 9.65 (s, 1H), 8.32 (s, 1H), 7.97 (d, ³*J*(H,H) = 8.8 Hz, 1H), 7.97 (d, ³*J*(H,H)=8.0 Hz, 1H), 7.87 (t, ³*J*(H,H)=7.3 Hz, 2H), 7.64 (d, ³*J*(H,H)=8.7 Hz, 1H), 7.59–7.52 (m, 5H), 7.49–7.41 (m, 4H), 7.38 (t, ³*J*(H,H)=8.3 Hz, 2H), 2.38 (t, ³*J*(H,H)=7.6 Hz, 2H), 1.41 (m, 2H), 1.24 (m, 2H), 0.84 ppm (t, ³*J*(H,H)=7.3 Hz, 3H); ¹³C NMR

(100 MHz, CD₂Cl₂): δ =168.5, 168.2, 150.1, 148.2, 147.7, 139.6, 137.9, 136.6, 135.8, 135.0, 133.4, 133.1, 132.4, 131.9, 131.1, 130.5, 130.4, 130.1, 129.0, 128.9, 128.7, 128.5, 128.4, 128.2, 127.4, 127.3, 127.0, 126.9, 125.9, 125.7, 124.9, 123.5, 122.3, 120.6, 120.1, 120.0, 116.5, 116.4, 35.5, 34.1, 22.9, 14.3 ppm; ³¹P NMR (162 MHz, CD₂Cl₂): δ =146.2 ppm; IR (film): $\tilde{\nu}$ = 3066.3, 2954.4, 1638.2, 1541.8, 1429.0, 1332.6, 1230.4, 827.3 cm⁻¹; HRMS (ESI+: *m*/z calcd for C₄₈H₃₇N₂NaO₅P: 775.23378 [*M*+Na]⁺; found: 775.23177.

$N^1 - (4-Butylphenyl) - N^2 - (3-((11\,\mathrm{b}S)-\mathrm{dinaphtho}[2,1-d:1',2'-f][1,3,2]\mathrm{dioxa-loss}) - N^2 - (3-((11\,\mathrm{b}S)-\mathrm{dinaphtho}[3,1-d:1',2'-f][1,3,2]\mathrm{dioxa-loss}) - N^2 - (3-((11\,\mathrm{b}S)-\mathrm{dinaphtho}[3,1-d:1',2'-f][1,3,2'-f][1,3,2'-f][1,3,2'-$

phosphepin-4-yloxy)phenethyl)phthalamide 40: The product was prepared according to the general procedure 2 starting from (S)-binol-PCl (0.253 g) and alcohol **30** (0.300 g) in the presence of Et₃N (0.30 mL). Purification by flash chromatography on silica gel (CH2Cl2 and then 98:2 to 95:5 CH_2Cl_2/Et_2O) gave the product as a white solid. Yield: 0.277 g (52%); m.p. 130–143°C; $[\alpha]_D^{20} = +150.7$ (c=1.0 in CH₂Cl₂); ¹H NMR (400 MHz, CD_2Cl_2): $\delta = 9.01$ (s, 1 H), 8.04 (d, ${}^{3}J(H,H) = 8.8$ Hz, 1 H), 7.98 (d, ${}^{3}J(H,H) = 8.2$ Hz, 1H), 7.93 (d, ${}^{3}J(H,H) = 8.6$ Hz, 2H), 7.78 (d, ${}^{3}J_{-}$ (H,H) = 7.6 Hz, 1H), 7.57 (d, ${}^{3}J(H,H) = 8.8$ Hz, 1H), 7.54 (d, ${}^{3}J(H,H) =$ 8.4 Hz, 2 H), 7.50-7.40 (m, 6 H), 7.37-7.23 (m, 5 H), 7.16 (d, ³J(H,H) = 8.4 Hz, 2H), 7.01 (m, 3H), 6.37 (t, ${}^{3}J(H,H) = 5.5$ Hz, 1H), 3.60 (q, ${}^{3}J$ -(H,H) = 6.9 Hz, 2H), 2.83 (t, ${}^{3}J(H,H) = 7.0$ Hz, 2H), 2.58 (t, ${}^{3}J(H,H) =$ 7.6 Hz, 2H), 1.58 (m, 2H), 1.33 (m, 2H), 0.91 ppm (t, ³J(H,H)=7.3 Hz, 3H); 13 C NMR (100 MHz, CD₂Cl₂): $\delta = 170.3$, 166.7, 152.4, 148.2, 147.5, 141.7, 139.8, 136.6, 135.5, 135.4, 133.4, 133.0, 132.3, 131.9, 131.2, 131.0, 130.8, 130.5, 129.7, 129.3, 128.0, 128.9, 128.3, 127.4, 127.3, 127.0, 126.9, 125.9, 125.7, 125.5, 124.8, 123.4, 122.3, 122.2, 121.4, 121.3, 120.6, 119.1, 119.0, 41.7, 35.7, 35.6, 34.3, 22.9, 14.3 ppm; ³¹P NMR (162 MHz, CD₂Cl₂): $\delta = 145.4$ ppm; IR (film): $\tilde{\nu} = 3067.2$, 2954.4, 1632.5, 1540.9, 1411.6, 1327.8, 1224.6, 824.4 cm⁻¹; HRMS (ESI+): m/z calcd for $C_{46}H_{39}N_2NaO_5P$: 753.24943 [*M*+Na]⁺; found: 753.24709.

 $N^1 - (4-Butylphenyl) - N^2 - (3-((11 b S) - dinaphtho [2, 1-d:1', 2'-f] [1, 3, 2] dioxa-line (1, 1, 2) - (1, 1,$

phosphepin-4-yloxy)-2,2-dimethylpropyl)phthalamide 4p: The product was prepared according to the general procedure 1 starting from (S)binol-PCl (0.183 g) and alcohol 3p (0.200 g) in the presence of Et₃N (0.22 mL). Purification by flash chromatography on silica gel $(\mathrm{CH}_2\mathrm{Cl}_2$ and then 96:4 to 9:1 CH2Cl2/Et2O) gave the product as a white solid. Yield: 0.235 g (65%); m.p. 113–125°C; $[\alpha]_D^{20} = +381.1$ (c = 1.0 in CH₂Cl₂); ¹H NMR (400 MHz, CD₂Cl₂): $\delta = 9.16$ (s, 1 H), 7.99 (d, ³J(H,H) = 8.8 Hz, 1H), 7.96 (d, ${}^{3}J(H,H) = 8.4$ Hz, 1H), 7.89 (m, 2H), 7.75 (d, ${}^{3}J(H,H) =$ 7.5 Hz, 1 H), 7.50 (d, ${}^{3}J(H,H) = 7.3$ Hz, 2 H), 7.45–7.37 (m, 5 H), 7.31–7.26 (m, 5H), 7.18 (t, ${}^{3}J(H,H) = 7.5$ Hz, 1H), 7.13 (d, ${}^{3}J(H,H) = 7.3$ Hz, 2H), 6.56 (t, ${}^{3}J(H,H) = 5.5$ Hz, 1 H), 3.77 (m, 1 H), 3.57 (dd, ${}^{2}J(H,H) = 10.2$ Hz, ${}^{3}J(H,P) = 6.0 \text{ Hz } 1 \text{ H}$), 3.29 (d, ${}^{3}J(H,H) = 6.3 \text{ Hz}$, 2H), 2.57 (t, ${}^{3}J(H,H) =$ 7.6 Hz, 2H), 1.58 (m, 2H), 1.34 (m, 2H), 0.94-0.90 (m, 6H), 0.86 ppm (s, 3H); ¹³C NMR (100 MHz, CD₂Cl₂): δ = 170.4, 168.8, 147.8, 139.4, 136.7, 135.7, 135.3, 133.3, 133.0, 132.2, 131.6, 131.0, 130.7, 130.6, 130.5, 129.6, 129.1, 129.0, 128.0, 127.3, 127.2, 126.9, 125.7, 125.5, 124.6, 123.1, 122.2, 122.1, 121.4, 120.6, 72.4 (d, ${}^{2}J(C,P) = 5.4 \text{ Hz}$), 47.5, 36.9, 35.6, 34.3, 22.9, 22.7, 22.6, 14.3 ppm; ³¹P NMR (162 MHz, CD₂Cl₂): $\delta = 143.0$ ppm; IR (film): $\tilde{\nu}$ =3112.6, 3056.6, 2955.4, 1631.5, 1540.9, 1438.6, 1329.7, 1231.3, 825.4 cm⁻¹; HRMS (ESI+): m/z calcd for $C_{43}H_{41}N_2NaO_5P$: 719.26508 [*M*+Na]⁺; found: 719.26346.

N¹-(4-Butylphenyl)-N²-(2-(((11bS)-dinaphtho[2,1-d:1',2'-f][1,3,2]dioxa-

phosphepin-4-yloxy)methyl)phenethyl)phthalamide 4q: The product was prepared according to the general procedure 2 starting from (*S*)-binol–PCl (0.326 g) and alcohol **3q** (0.400 g) in the presence of Et₃N (0.39 mL). Purification by flash chromatography on silica gel (CH₂Cl₂, then 95:5 to 9:1 CH₂Cl₂/EtOAc) gave the product as a white solid. Yield: 0.503 g (71%); m.p. 125–130°C; $[a]_D^{20}$ =+298.4 (*c*=1.0 in CH₂Cl₂); ¹H NMR (400 MHz, CD₂Cl₂): δ =9.23 (s, 1H), 8.00 (d, ³*J*(H,H)=8.8 Hz, 1H), 7.96 (d, ³*J*(H,H)=8.8 Hz, 1H), 7.86 (d, ³*J*(H,H)=8.8 Hz, 1H), 7.84 (d, ³*J*-(H,H)=8.2 Hz, 1H), 7.69 (d, ³*J*(H,H)=7.7 Hz, 1H), 7.52 (d, ³*J*(H,H)=8.4 Hz, 2H), 7.48–7.43 (m, 2H), 7.40–7.34 (m, 2H), 7.31–7.26 (m, 6H), 7.25–7.17 (m, 5H), 7.11 (d, ³*J*(H,H)=8.4 Hz, 2H), 6.45 (t, ³*J*(H,H)=5.7 Hz, 1H), 5.01 (dd, ²*J*(H,H)=12.1 Hz, ³*J*(H,P)=7.4 Hz, 1H), 4.84 (dd, ²*I*(H,H)=12.1 Hz, ³*J*(H,H)=1.7 Hz, 2H), 2.56 (t, ³*J*(H,H)=7.6 Hz, 2H), 1.56 (m, 2H), 1.33 (m, 2H), 0.91 ppm (t, ³*J*(H,H)=7.3 Hz, 3H);

¹³C NMR (100 MHz, CD₂Cl₂): δ=170.4, 166.6, 149.2, 148.0, 139.7, 138.1, 136.6, 135.8, 135.5, 135.3, 133.3, 133.1, 132.2, 131.1, 131.0, 130.8, 130.7, 130.5, 130.1, 129.9, 129.3, 129.0, 128.9, 128.3, 127.7, 127.4, 127.3, 126.9, 125.7, 125.6, 124.7, 124.5, 124.4, 123.2, 122.3, 122.1, 120.6, 118.4, 65.4, 41.4, 35.6, 34.3, 32.4, 22.9, 14.3 ppm; ³¹P NMR (162 MHz, CD₂Cl₂): δ=142.4 ppm; IR (film): $\tilde{\nu}$ =3066.3, 2954.4, 1633.4, 1539.9, 1432.9, 1326.8, 1230.4, 824.4 cm⁻¹; HRMS (ESI+): m/z calcd for C₄₇H₄₁N₂NaO₅P: 767.26508 [*M*+Na]⁺; found: 767.26290.

 N^{1} -(4-Butylphenyl)- N^{2} -(3-((((11bR)-2,6-dimethyldinaphtho[2,1-d:1',2'-f]-[1,3,2]dioxaphosphepin-4-yl)oxy)methyl)phenyl)phthalamide 4r: The product was prepared according to the general procedure 1 starting from (R)-3,3'-dimethyl-binol-PCl (0.283 g) and alcohol 3r (0.300 g) in the presence of Et₃N (0.32 mL). Purification by flash chromatography on silica gel (8:2 CH2Cl2/n-hexane, then CH2Cl2, then 98:2 to 9:1 CH2Cl2/ Et₂O) gave the product as a white solid. Yield: 0.260 g (47%); m.p. 129-133°C; $[\alpha]_{D}^{20} = -322.5$ (c=1.0 in CH₂Cl₂); ¹H NMR (400 MHz, CD₂Cl₂): $\delta = 8.94$ (s, 1 H), 8.59 (s, 1 H), 7.87 (d, ${}^{3}J(H,H) = 8.7$ Hz, 1 H), 7.85 (s, 1 H), 7.83 (d, ${}^{3}J(H,H) = 9.0$ Hz, 1H), 7.81 (s, 1H), 7.65–7.61 (m, 2H), 7.54 (s, 1H), 7.52-7.47 (m, 5H), 7.42-7.35 (m, 2H), 7.26-7.15 (m, 5H), 7.10 (d, ${}^{3}J(H,H) = 8.2 \text{ Hz}, 2 \text{ H}), 6.99 \text{ (d, } {}^{3}J(H,H) = 7.6 \text{ Hz}, 1 \text{ H}), 4.95 \text{ (dd, } {}^{2}J \text{-}$ $(H,H) = 12.2 \text{ Hz}, {}^{3}J(H,P) = 8.2 \text{ Hz}, 1 \text{ H}), 4.55 \text{ (dd, } {}^{2}J(H,H) = 12.2 \text{ Hz}, {}^{3}J \text{-}$ $(H,P) = 6.7 Hz, 1H), 2.60 (s, 3H), 2.54 (t, {}^{3}J(H,H) = 7.6 Hz, 2H), 2.51 (s, 3H), 2.54 (t, {}^{3}J(H,H) = 7.6 Hz, 2H), 2.51 (s, 3H), 2.54 (t, {}^{3}J(H,H) = 7.6 Hz, 2H), 2.51 (s, 3H), 2.54 (t, {}^{3}J(H,H) = 7.6 Hz, 2H), 2.51 (s, {}^{3}H), 2.54 (t, {}^{3}J(H,H) = 7.6 Hz, 2H), 2.51 (s, {}^{3}H), 2.54 (t, {}^{3}J(H,H) = 7.6 Hz, 2H), 2.51 (s, {}^{3}H), 2.54 (t, {}^{3}H$ 3H), 1.50 (m, 2H), 1.30 (m, 2H), 0.90 ppm (t, ${}^{3}J(H,H) = 7.3$ Hz, 3H); ¹³C NMR (100 MHz, CD₂Cl₂): δ = 167.8, 167.6, 148.9, 147.5, 140.0, 138.9, 138.6, 136.1, 135.6, 135.5, 132.2, 132.0, 132.0, 131.6, 131.1, 130.9, 130.4, 129.5, 129.3, 129.2, 128.8, 128.2, 127.2, 127.1, 125.8, 125.6, 125.4, 124.6, 124.0, 123.2, 120.7, 120.2, 119.6, 66.9, 35.5, 34.2, 22.8, 18.1, 17.8, 14.3 ppm; ³¹P NMR (162 MHz, CD₂Cl₂): $\delta = 138.1$ ppm; IR (film): $\tilde{\nu} = 3283.2$, 3068.2, 2953.5, 1641.1, 1541.8, 1443.5, 1331.6, 1241.0, 905.4, 787.2 cm⁻¹; HRMS (ESI+): m/z calcd for C₄₇H₄₁N₂NaO₅P: 767.26508 [M+Na]⁺; found: 767.26263.

 N^{1} -(4-Butylphenyl)- N^{2} -(3-((((11bR)-2,6-dimethyldinaphtho[2,1-d:1',2'-f]-[1,3,2]dioxaphosphepin-4-yl)oxy)methyl)benzyl)phthalamide 4s: The product was prepared according to the general procedure 2 starting from (R)-3,3'-dimethyl-binol-PCl (0.300 g) and alcohol 3s (0.300 g) in the presence of Et₃N (0.30 mL). Purification by flash chromatography on silica gel (CH₂Cl₂ and then 98:2 CH₂Cl₂/Et₂O) gave the product as a white solid. Yield: 0.336 g (62%); m.p. 112–120°C; $[\alpha]_{D}^{20} = -326.4$ (c = 1.0 in CH₂Cl₂); ¹H NMR (400 MHz, CD₂Cl₂): δ = 8.75 (s, 1 H), 7.87 (d, ³J- $(H,H) = 8.4 Hz, 1H), 7.86 (s, 1H), 7.80 (s, 1H), 7.79 (d, {}^{3}J(H,H) = 9.2 Hz,$ 2H), 7.72 (d, ${}^{3}J(H,H) = 7.3$ Hz, 1H), 7.57–7.45 (m, 3H), 7.43–7.34 (m, 4H), 7.25 (d, ³J(H,H)=8.4 Hz, 1H), 7.22-7.12 (m, 7H), 7.09 (d, ³J-(H,H) = 8.4 Hz, 1 H), 6.90 (t, ${}^{3}J(H,H) = 5.4$ Hz, 1 H), 4.84 (dd, ${}^{2}J(H,H) =$ 12.3 Hz, ³J(H,P)=8.1 Hz, 1 H), 4.59-4.46 (m, 3 H), 2.59 (s, 3 H), 2.57 (t, ${}^{3}J(H,H) = 7.8 \text{ Hz}, 3H), 2.48 \text{ (s, 3H)}, 1.57 \text{ (m, 2H)}, 1.34 \text{ (m, 2H)},$ 0.92 ppm (t, ${}^{3}J(H,H) = 7.3$ Hz, 3H); ${}^{13}C$ NMR (100 MHz, CD₂Cl₂): $\delta =$ 169.9, 167.0, 148.9, 147.5, 139.9, 138.8, 138.4, 136.3, 135.6, 135.0, 132.2, 132.0, 131.6, 131.0, 130.9, 130.5, 130.4, 129.5, 129.3, 128.7, 128.2, 127.8, 127.3, 127.2, 125.9, 125.6, 125.5, 124.6, 123.2, 120.6, 66.9 (d, ${}^{2}J(C,P) =$ 3.2 Hz), 44.4, 35.6, 34.3, 22.9, 18.0, 17.8, 14.3 ppm; ³¹P NMR (162 MHz, CD₂Cl₂): $\delta = 138.2 \text{ ppm}$; IR (film): $\tilde{\nu} = 3066.3$, 2954.4, 1637.3, 1540.9, 1412.6, 1331.6, 1240.0, 905.4, 788.7 cm⁻¹; HRMS (ESI+): m/z calcd for C48H43N2NaO5P: 781.28073 [M+Na]+; found: 781.27897.

*N*¹-(4-Butylphenyl)-*N*²-(3-(((11bS)-dinaphtho[2,1-*d*:1',2'-*f*][1,3,2]dioxaphosphepin-4-yloxy)methyl)phenyl)-*N*¹,*N*²-dimethylphthalamide 4a-Me: The product was prepared according to the general procedure 1 starting from (*S*)-binol–PCl (0.242 g) and alcohol **3a-Me** (0.297 g) in the presence of Et₃N (0.29 mL). Purification by flash chromatography on silica gel (98:2 and then 9:1 CH₂Cl₂/EtOAc) gave the product as a white solid. Yield: 0.343 g (66%); m.p. 117–123 °C; $[[\alpha]_D^{2D} = +268.0 \ (c=1.0 \ in CH₂Cl₂); ¹H NMR (400 MHz, CD₂Cl₂): <math>\delta = 8.04$ (d, ³*J*(H,H) = 8.8 Hz, 1H), 7.97 (d, ³*J*(H,H) = 8.9 Hz, 1H), 7.98–7.93 (m, 2H), 7.56 (d, ³*J*-(H,H) = 8.8 Hz, 1H), 7.49–7.39 (m, 4H), 7.37–7.26 (m, 8H), 7.15 (bs, 1H), 7.02 (bs, 3H), 6.82 (bs, 3H), 4.89 (m, 1H), 4.68 (m, 1H), 3.47 (s, 6H), 2.50 (t, ³*J*(H,H) = 6.7 Hz, 2H), 1.51 (m, 2H), 1.31 (m, 2H), 0.90 ppm (m, 3H); ¹³C NMR (100 MHz, CD₂Cl₂): $\delta = 170.7$, 170.5, 149.2, 148.1, 145.5, 142.9, 141.8, 139.0, 137.3, 133.4, 133.1, 132.2, 131.7, 131.1, 130.8, 129.5, 129.4, 129.0, 129.0, 128.8, 128.1, 127.3, 127.0, 126.9, 125.9,

CHEMISTRY

125.7, 125.6, 124.6, 123.2, 122.3, 122.1, 66.7 (d, ${}^{2}J(C,P)=4.4$ Hz), 37.9, 35.5, 34.0, 22.8, 14.3 ppm; ${}^{31}P$ NMR (162 MHz, CD₂Cl₂): δ =141.0 ppm; IR (film): $\tilde{\nu}$ =3422.1, 3057.6, 2929.3, 1643.1, 1591.0, 1511.9, 1430.9, 1373.1, 1325.8, 1230.4, 1020.2, 946.9, 824.4 cm⁻¹; HRMS (ESI+): *m/z* calcd for C₄₇H₄₁N₂NaO₅P: 767.26508 [*M*+Na]⁺; found: 767.26311.

General procedure for asymmetric hydrogenations under atmospheric pressure:: Each ligand (0.0042 mmol, 0.022 equiv) was weighed and placed in one of seven oven-dried glass test tubes equipped with stirrer bars and Schlenk apparatus and subjected to three vacuum/nitrogen cycles. A solution of $[Rh(cod)_2BF_4]$ (0.9 mL, 0.001909 mmol, 2.12 mM, 0.01 equiv) in CH₂Cl₂ was added to each tube and the mixtures were stirred for 10 min under nitrogen. A solution of the substrate in CH₂Cl₂ (1 mL, 0.1909 mmol, 0.1909 M, 1 equiv) was finally added to each tube, followed by CH₂Cl₂ (2.1 mL). The reaction mixtures were subjected to three vacuum/hydrogen cycles and then left stirring overnight at room temperature under 1 bar of hydrogen. Samples were taken and analyzed for conversion and *ee* determination (see the Supporting Information).

General procedure for the asymmetric hydrogenation reaction at higher than atmospheric pressure: A Parr multireactor was employed that allowed six reactions to be performed in parallel under hydrogen pressure. The selected ligands (0.0042 mmol, 0.022 equiv) were weighed in special glass vials. The vials were purged with nitrogen and a solution of [Rh-(cod)₂BF₄] in CH₂Cl₂ (0.9 mL, 0.001909 mmol, 2.12 mM, 0.01 equiv) was added to each vial. After 10 min, a solution of the substrate in CH₂Cl₂ (1 mL, 0.1909 mmol, 0.1909 M, 1 equiv) was added followed by CH₂Cl₂ (6.1 mL), and the vials were placed in their respective autoclaves and purged three times with hydrogen at the selected pressure. The reactions were stirred overnight at room temperature under pressure of hydrogen, and then analyzed for conversion and *ee* determination (see the Supporting Information).

Acknowledgements

We thank the European Commission [RTN Network (R) Evolutionary Catalysis MRTN-CT-2006–035866] for financial support. L.P. thanks Milan University for a postdoctoral fellowship ('Assegno di ricerca'). M.C. thanks the MIUR (FIRB 'Futuro in Ricerca' RBFR088ITV) for a postdoctoral fellowship and financial support.

- For a comprehensive review of the topic, see: J. G. de Vries, C. J. Elseiver, *Handbook of Homogeneous Hydrogenation*, Wiley-VCH, Weinheim, 2007.
- [2] J. M. Hawkins, T. J. N. Watson, Angew. Chem. 2004, 116, 3286–3290; Angew. Chem. Int. Ed. 2004, 43, 3224–3228, and references therein.
- [3] N. B. Johnson, I. C. Lennon, P. H. Moran, J. A. Ramsden, Acc. Chem. Res. 2007, 40, 1291–1299.
- [4] a) W. S. Knowles, M. J. Sabacky, Chem. Commun. (London) 1968, 1445–1446; b) L. Horner, H. Siegel, H. Büthe, Angew. Chem. 1968, 80, 1034–1035; Angew. Chem. Int. Ed. Engl. 1968, 7, 942.
- [5] For a review, see: W. Tang, X. Zhang, Chem. Rev. 2003, 103, 3029– 3069.
- [6] F. Guillen, J.-C. Fiaud, Tetrahedron Lett. 1999, 40, 2939-2942.
- [7] A. Gillon, K. Heslop, D. J. Hyett, A. Martorell, A. G. Orpen, P. G. Pringle, C. Claver, E. Fernandez, *Chem. Commun.* 2000, 961–962.
- [8] a) M. T. Reetz, T. Sell, *Tetrahedron Lett.* 2000, 41, 6333-6336;
 b) M. T. Reetz, G. Mehler, *Angew. Chem.* 2000, 112, 4047-4049;
 Angew. Chem. Int. Ed. 2000, 39, 3889-3890.
- [9] M. van den Berg, A. J. Minnaard, E. P. Schudde, J. van Esch, A. H. M. de Vries, J. G. de Vries, B. L. Feringa, J. Am. Chem. Soc. 2000, 122, 11539–11540.
- [10] For recent reviews on monodentate ligands, see: a) P. W. N. M. van Leeuwen, P. C. J. Kamer, C. Claver, O. Pa'mies, M. Die'guez, *Chem. Rev.* 2011, 111, 2077–2118; b) J. F. Teichert, B. L. Feringa, *Angew. Chem.* 2010, 122, 2538–2582; *Angew. Chem. Int. Ed.* 2010, 49, 2486– 2528; c) T. Jerphagnon, J.-L. Renaud, C. Bruneau, *Tetrahedron: Asymmetry* 2004, 15, 2101–2111.

- [11] a) M. T. Reetz, T. Sell, A. Meiswinkel, G. Mehler, Patent application DE-A 10247633.0 (11-10-2002); b) M. T. Reetz, T. Sell, A. Meiswinkel, G. Mehler, *Angew. Chem.* 2003, *115*, 814-817; *Angew. Chem. Int. Ed.* 2003, *42*, 790-793; c) M. T. Reetz, G. Mehler, *Tetrahedron Lett.* 2003, *44*, 4593-4596.
- [12] a) D. Peña, A. J. Minnaard, J. A. F. Boogers, A. H. M. de Vries, J. G. de Vries, B. L. Feringa, *Org. Biomol. Chem.* 2003, *1*, 1087–1089;
 b) A. Duursma, R. Hoen, J. Schuppan, R. Hulst, A. J. Minnaard, B. L. Feringa, *Org. Lett.* 2003, *5*, 3111–3113.
- [13] For a review on this approach, see: M. T. Reetz, Angew. Chem. 2008, 120, 2592–2626; Angew. Chem. Int. Ed. 2008, 47, 2556–2588.
- [14] For an alternative, non-supramolecular approach, see: L. Pignataro, B. Lynikaite, R. Colombo, S. Carboni, M. Krupička, U. Piarulli, C. Gennari, *Chem. Commun.* 2009, 3539–3541.
- [15] For relevant reviews, see: a) B. Breit, Angew. Chem. 2005, 117, 6976-6986; Angew. Chem. Int. Ed. 2005, 44, 6816-6825; b) M. J. Wilkinson, P. W. N. M. van Leeuwen, J. N. H. Reek, Org. Biomol. Chem. 2005, 3, 2371-2383; c) A. J. Sandee, J. N. H. Reek, Dalton Trans. 2006, 3385-3391; d) P. W. N. M. van Leeuwen, Supramolecular Catalysis, Wiley-VCH, Weinheim, 2008; e) P. E. Goudriaan, P. W. N. M. van Leeuwen, M.-N. Birkholz, J. N. H. Reek, Eur. J. Inorg. Chem. 2008, 2939-2958; f) G. Gasparini, M. Dal Molin, L. J. Prins, Eur. J. Org. Chem. 2010, 2429-2440; g) J. Meeuwissen, J. N. H. Reek, Nat. Chem. 2010, 2, 615-621; h) S. Carboni, C. Gennari, L. Pignataro, U. Piarulli, Dalton Trans. 2011, 40, 4355-4373.
- [16] For examples of ligand-ligand hydrogen-bonding interactions, see: a) B. Breit, W. Seiche, J. Am. Chem. Soc. 2003, 125, 6608-6609; b) B. Breit, W. Seiche, Angew. Chem. 2005, 117, 1666-1669; Angew. Chem. Int. Ed. 2005, 44, 1640-1643; c) F. Chevallier, B. Breit, Angew. Chem. 2006, 118, 1629-1632; Angew. Chem. Int. Ed. 2006, 45, 1599-1602; d) M. Weis, C. Waloch, W. Seiche, B. Breit, J. Am. Chem. Soc. 2006, 128, 4188-4189; e) Y. Liu, C. A. Sandoval, Y. Yamaguchi, X. Zhang, Z. Wang, K. Kato, K. Ding, J. Am. Chem. Soc. 2006, 128, 14212-14213; f) A. J. Sandee, A. M. van der Burg, J. N. H. Reek, Chem. Commun. 2007, 864-866; g) M.-N. Birkholz, N. V. Dubrovina, I. A. Shuklov, J. Holz, R. Paciello, C. Waloch, B. Breit, A. Börner, Tetrahedron: Asymmetry 2007, 18, 2055-2060; h) M.-N. Birkholz, N. V. Dubrovina, H. Jiao, D. Michalik, J. Holz, R. Paciello, B. Breit, A. Börner, Chem. Eur. J. 2007, 13, 5896-5907; i) C. Waloch, J. Wieland, M. Keller, B. Breit, Angew. Chem. 2007, 119, 3097-3099; Angew. Chem. Int. Ed. 2007, 46, 3037-3039; j) G. Hattori, T. Hori, Y. Miyake, Y. Nishibayashi, J. Am. Chem. Soc. 2007, 129, 12930-12931; k) Y. Li, Y. Feng, Y.-M. He, F. Chen, J. Pan, Q.-H. Fan, Tetrahedron Lett. 2008, 49, 2878-2881; l) A. C. Laungani, B. Breit, Chem. Commun. 2008, 844-846; m) A. C. Laungani, J. M. Slattery, I. Krossing, B. Breit, Chem. Eur. J. 2008, 14, 4488-4502; n) B. Breit, Pure Appl. Chem. 2008, 80, 855-860; o) F. W. Patureau, M. Kuil, A. J. Sandee, J. N. H. Reek, Angew. Chem. 2008, 120, 3224-3227; Angew. Chem. Int. Ed. 2008, 47, 3180-3183; p) M. de Greef, B. Breit, Angew. Chem. 2009, 121, 559-562; Angew. Chem. Int. Ed. 2009, 48, 551-554; q) J. Meeuwissen, M. Kuil, A. M. van der Burg, A. J. Sandee, J. N. H. Reek, Chem. Eur. J. 2009, 15, 10272-10279; r) J. Meeuwissen, A. J. Sandee, B. de Bruin, M. A. Siegler, A. L. Spek J. N. H. Reek, Organometallics 2010, 29, 2413-2421.
- [17] For examples of ligand-substrate supramolecular interactions, see:
 a) D. B. Grotjahn, *Chem. Eur. J.* 2005, *11*, 7146-7153; b) I. Usui, S. Schmidt, M. Keller, B. Breit, *Org. Lett.* 2008, *10*, 1207-1210; c) S. Das, C. D. Incarvito, R. H. Crabtree, G. W. Brudvig, *Science* 2006, *312*, 1941-1943; d) T. Šmejkal, B. Breit, *Angew. Chem.* 2008, *120*, 317-321; *Angew. Chem. Int. Ed.* 2008, *47*, 311-315; e) T. Šmejkal, B. Breit, *Angew. Chem. Int. Ed.* 2008, *47*, 3946-3949; f) L. Diab, T. Šmejkal, J. Geier, B. Breit, *Angew. Chem.* 2009, *121*, 8166-8170; *Angew. Chem. Int. Ed.* 2009, *48*, 8022-8026; g) P.-A. R. Breuil, F. W. Patureau, J. N. H. Reek, *Angew. Chem.* 2009, *121*, 2196-2199; *Angew. Chem. Int. Ed.* 2009, *48*, 2162-2165; h) T. Šmejkal, D. Gribkov, J. Geier, M. Keller, B. Breit, *Chem. Eur. J.* 2010, *16*, 2470-2478; i) P. Fackler, C. Berthold, F. Voss, T. Bach, *J. Am. Chem. Soc.* 2010, *132*, 15911-15913.

© 2012 Wiley-VCH Verlag GmbH & Co. KGaA, Weinheim

- [18] For examples of ligand-ligand coordinative bonding interactions, see: a) V. F. Slagt, P. W. N. M. van Leeuwen, J. N. H. Reek, Chem. Commun. 2003, 2474-2475; b) V. F. Slagt, P. W. N. M. van Leeuwen, J. N. H. Reek, Angew. Chem. 2003, 115, 5777-5781; Angew. Chem. Int. Ed. 2003, 42, 5619-5623; c) V. F. Slagt, M. Röder, P. C. J. Kamer, P. W. N. M. van Leeuwen, J. N. H. Reek, J. Am. Chem. Soc. 2004, 126, 4056-4057; d) J. M. Takacs, D. S. Reddy, S. A. Moteki, D. Wu, H. Palencia, J. Am. Chem. Soc. 2004, 126, 4494-4495; e) J. N. H. Reek, M. Röder, P. E. Goudriaan, P. C. J. Kamer, P. W. N. M. van Leeuwen, V. F. Slagt, J. Organomet. Chem. 2005, 690, 4505-4516; f) J. M. Takacs, P. M. Hrvatin, J. M. Atkins, D. S. Reddy, J. L. Clark, New J. Chem. 2005, 29, 263-265; g) X.-B. Jiang, L. Lefort, P. E. Goudriaan, A. H. M. de Vries, P. W. N. M. van Leeuwen, J. G. de Vries, J. N. H. Reek, Angew. Chem. 2006, 118, 1245-1249; Angew. Chem. Int. Ed. 2006, 45, 1223-1227; h) M. Kuil, P. E. Goudriaan, P. W. N. M. van Leeuwen, J. N. H. Reek, Chem. Commun. 2006, 4679-4681; i) J. M. Takacs, K. Chaiseeda, S. A. Moteki, D. S. Reddy, D. Wu, K. Chandra, Pure Appl. Chem. 2006, 78, 501-509; j) J. M. Atkins, S. A. Moteki, S. G. DiMagno, J. M. Takacs, Org. Lett. 2006, 8, 2759-2762; k) V. F. Slagt, P. W. N. M. van Leeuwen, J. N. H. Reek, Dalton Trans. 2007, 2302-2310; 1) V. F. Slagt, P. W. N. M. van Leeuwen, J. N. H. Reek, Dalton Trans. 2007, 2302-2310; m) M. Kuil, P. E. Goudriaan, A. W. Kleij, D. M. Tooke, A. L. Spek, P. W. N. M. van Leeuwen, J. N. H. Reek, Dalton Trans. 2007, 2311-2320; n) X.-B. Jiang, P. W. N. M. van Leeuwen, J. N. H. Reek, Chem. Commun. 2007, 2287-2289; o) S. A. Moteki, J. M. Takacs, Angew. Chem. 2008, 120, 908-911; Angew. Chem. Int. Ed. 2008, 47, 894-897; p) P. E. Goudriaan, M. Kuil, X.-B. Jiang, P. W. N. M. van Leeuwen, J. G. de Vries, J. N. H. Reek, Dalton Trans. 2009, 1801-1805.
- [19] a) H. Gulyás, J. Benet-Buchholz, E. C. Escudero-Adan, Z. Freixa, P. W. N. M. van Leeuwen, *Chem. Eur. J.* 2007, *13*, 3424–3430; b) C. Machut, J. Patrigeon, S. Tilloy, H. Bricout, F. Hapiot, E. Monflier, *Angew. Chem.* 2007, *119*, 3100–3102; *Angew. Chem. Int. Ed.* 2007, *46*, 3040–3042; c) B. Lynikaite, J. Cvengroš, U. Piarulli, C. Gennari, *Tetrahedron Lett.* 2008, *49*, 755–759; d) L. Pignataro, B. Lynikaite, J. Cvengroš, M. Marchini, U. Piarulli, C. Gennari, *Eur. J. Org. Chem.* 2009, 2539–2547; e) O. Chuzel, C. Magnier-Bouvier, E. Schulz, *Tetrahedron: Asymmetry* 2008, *19*, 1010–1019.
- [20] For older reviews on this approach, see: a) M. Sawamura, Y. Ito, *Chem. Rev.* 1992, 92, 857–871; b) R. Breslow, *Acc. Chem. Res.* 1995, 28, 146–153; c) A. J. Kirby, *Angew. Chem.* 1996, *108*, 770–790; *Angew. Chem. Int. Ed. Engl.* 1996, *35*, 706–724; d) H. Steinhagen, G. Helmchen, *Angew. Chem.* 1996, *108*, 2489–2492; *Angew. Chem. Int. Ed. Engl.* 1996, *35*, 2339–2342; e) M. T. Reetz, *Top. Catal.* 1997, 4, 187–200; f) E. K. van den Beuken, B. L. Feringa, *Tetrahedron* 1998, *54*, 12985–13011; g) G. J. Rowlands, *Tetrahedron* 2001, *57*, 1865–1882.
- [21] a) C. Monti, C. Gennari, U. Piarulli, J. G. de Vries, A. H. M. de Vries, L. Lefort, *Chem. Eur. J.* **2005**, *11*, 6701–6717; b) C. Monti, C. Gennari, U. Piarulli, *Chem. Commun.* **2005**, 5281–5283; c) C. Marelli, C. Monti, C. Gennari, U. Piarulli, *Synlett* **2007**, 2213–2216; d) C. Monti, C. Gennari, U. Piarulli, *Chem. Eur. J.* **2007**, *13*, 1547–1558.
- [22] For the preliminary results obtained with the PhthalaPhos ligands, see: L. Pignataro, S. Carboni, M. Civera, R. Colombo, U. Piarulli, C. Gennari, Angew. Chem. 2010, 122, 6783–6787; Angew. Chem. Int. Ed. 2010, 49, 6633–6637.
- [23] G. V. Boyd, R. L. Monteil, J. Chem. Soc. Perkin Trans. 1 1978, 1338– 1350.
- [24] E. G. Díaz de Toranzo, J. A. Brieux, J. Med. Chem. 1967, 10, 982– 983.
- [25] See reference [14], and the references therein.
- [26] The use of this ligand in the hydrogenation of some substrates screened in this work had already been reported. For S1, see: a) reference [11a]. For S3, see: b) M. T. Reetz, G. Mehler, A. Meiswinkel, T. Sell, *Tetrahedron: Asymmetry* 2004, 15, 2165–2167; see also: c) reference [14].
- [27] The use of this ligand in the hydrogenation of some substrates screened in this work has already been reported. For **S1**, see:

a) M. T. Reetz, G. Mehler, A. Meiswinkel, patent application DE-A 10027505.2 (6–6–2000). For **S3**, see: b) reference [11a]; c) M. T. Reetz, G. Mehler, A. Meiswinkel, T. Sell, *Tetrahedron Lett.* **2002**, *43*, 7941–7943; see also: d) reference [26b].

- [28] The absolute configuration of the product was assigned by comparison of the sign of the optical rotation with literature data; see: M. J. Burk, J. E. Feaster, W. A. Nugent, R. L. Harlow, *J. Am. Chem. Soc.* 1993, *115*, 10125–10138.
- [29] The absolute configuration of the product was assigned by comparison of the sign of the optical rotation with literature data; see: M.-J. Kim, W.-H. Kim, K. Han, Y. K. Choi, J. Park, Org. Lett. 2007, 9, 1157–1159.
- [30] H. Bernsmann, M. van den Berg, R. Hoen, A. J. Minnaard, G. Mehler, M. T. Reetz, J. G. de Vries, B. L. Feringa, *J. Org. Chem.* 2005, 70, 943–951.
- [31] a) Z. Zhang, G. Zhu, Q. Jiang, D. Xiao, X. Zhang, J. Org. Chem. 1999, 64, 1774–1775. For the use of highly efficient biaryl-type bisphosphine ligands with a stereogenic axis in the rhodium-catalyzed hydrogenation reaction, see: b) W. Tang, Y. Chi, X. Zhang, Org. Lett. 2002, 4, 1695–1698; c) Y. Zou, H. Geng, W. Zhang, S. Yu, X. Zhang, Tetrahedron Lett. 2009, 50, 5777–5779, and references therein.
- [32] For key papers on the mechanism of the rhodium-catalyzed asymmetric hydrogenation reaction, see: a) J. Halpern, *Science* 1982, 217, 401-407; b) C. R. Landis, J. Halpern, *J. Am. Chem. Soc.* 1987, 109, 1746-1754; c) C. R. Landis, P. Hilfenhaus, S. Feldgus, *J. Am. Chem. Soc.* 1999, 121, 8741-8754; d) S. Feldgus, C. R. Landis, *J. Am. Chem. Soc.* 2000, 122, 12714-12727; e) C. R. Landis, S. Feldgus, *Am. Chem. Soc.* 2000, 122, 12714-12727; e) C. R. Landis, S. Feldgus, *Angew. Chem.* 2000, 112, 2985-2988; *Angew. Chem. Int. Ed.* 2000, 39, 2863-2866; f) R. Giernoth, H. Heinrich, N. J. Adams, R. J. Deeth, J. Bargon, J. M. Brown, *J. Am. Chem. Soc.* 2000, 122, 12381-12382; g) H. Heinrich, R. Giernoth, J. Bargon, J. M. Brown, *Chem. Commun.* 2001, 1296-1297; h) I. D. Gridnev, T. Imamoto, *Acc. Chem. Res.* 2004, 37, 633-644; i) I. D. Gridnev, T. Imamoto, *Chem. Commun.* 2009, 7447-7464.
- [33] a) M. T. Reetz, A. Meiswinkel, G. Mehler, K. Angermund, M. Graf,
 W. Thiel, R. Mynott, D. G. Blackmond, J. Am. Chem. Soc. 2005, 127, 10305–10313; b) I. D. Gridnev, C. Fan, P. G. Pringle, Chem. Commun. 2007, 1319–1321; c) L. Schiaffino, G. Ercolani, J. Phys. Org. Chem. 2011, 24, 257–261.
- [34] The octahedral dihydrides were not identified as the transition states of the stereodiscriminating step. Therefore, a quantitative energy comparison between the *re* and *si* dihydride intermediates would be irrelevant. However, following a suggestion by one of the referees, structure *re-***7b**, leading to the experimentally minor S enantiomer (corresponding to *re*-face coordination) was calculated using the same computational workflow as reported for dihydride *si*. **7b**. In the DFT-optimized structure of *re-***7b** (shown below) a hydrogen bond is present between the carbonyl oxygen of the amide group of **4a** (the amide group that is connected to the phosphite group) and the NH of the substrate. The optimized octahedral dihydrogen difference of the substrate.



dride structure *si*-**7b** is more-stable than *re*-**7b** by 2.52 kcal mol⁻¹. The DFT-optimized structure of dihydride *re*-**7b**. Wires (P ligands) and tubes (substrate **S4**): C=gray, amide H=light gray, heteroatoms (N, O, P)=black; CPK spheres: Rh=black, H=gray. For the sake of clarity, all H atoms bound to carbon are omitted.

- [35] All DFT calculations were performed using Jaguar Version 7.7 (Schrödinger, LLC, New York, NY). For DFT calculations of supramolecular bidentate rhodium complexes, see reference [17g].
- [36] All calculations were run using the Schrödinger suite of programs (http://www.schrodinger.com) through the Maestro graphical interface. The Monte Carlo/Energy Minimization (MC/EM) conformational search (see reference [37]) was performed within the framework of MacroModel Version 9.7 (Schrödinger, LLC, New York, NY) using the MacroModel implementation of the Amber all-atom force field (denoted AMBER*, see reference [38a]) and the chloroform GB/SA solvation model (see reference [38b]).
- [37] G. Chang, W. C. Guida, W. C. Still, J. Am. Chem. Soc. 1989, 111, 4379-4386.

- [38] a) S. J. Weiner, P. A. Kollman, D. T. Nguyem, D. A. Case, *J. Comput. Chem.* 1986, *7*, 230–252; b) W. C. Still, A. Tempczyk, R. C. Hawley, T. Hendrickson, *J. Am. Chem. Soc.* 1990, *112*, 6127–6129.
- [39] a) N. V. Dubrovina, I. A. Shuklov, M.-N. Birkholz, D. Michalik, R. Paciello, A. Börner, *Adv. Synth. Catal.* 2007, 349, 2183–2187;
 b) I. A. Shuklov, N. V. Dubrovina, E. Barsch, R. Ludwig, D. Michalik, A. Börner, *Chem. Commun.* 2009, 1535–1537.
- [40] M. van den Berg, B. L. Feringa, A. J. Minnaard in *Handbook of Ho-mogeneous Hydrogenation* (Eds.: J. G. de Vries, C. J. Elseiver), WILEY-VCH, Weinheim, **2007**, 995–1027.
- [41] M. Noji, T. Ohno, K. Fuji, N. Futaba, H. Tajima, K. Ishii, J. Org. Chem. 2003, 68, 9340–9347.
- [42] D. Basavaiah, K. Muthukumaran, B. Sreenivasulu, Synthesis 2000, 545–548.
- [43] W. C. Still, M. Kahn, A. Mitra, J. Org. Chem. 1978, 43, 2923-2925.

Received: June 30, 2011 Published online: December 28, 2011