

14 BIBLIOGRAPHY

1. Rueger, J., *Bone substitution materials. Current status and prospects*. Der Orthopade, 1998. **27**(2): p. 72-79.
2. Schieker, M., C. Heiss, and W. Mutschler, *Bone substitutes*. Der Unfallchirurg, 2008. **111**(8): p. 613-9; quiz 620.
3. Grob, D., *Problems at the donor site in autologous bone transplantation*. Der Unfallchirurg, 1986. **89**(8): p. 339.
4. Adams, F., *Seven books of Paulus Aegineta Sydenham Society*. 1846, London.
5. Hoffmann-Axthelm, W. and H.M. Koehler, *History of dentistry*. 1981: Quintessence Publishing Company.
6. Life, F.P., *Times of Ambrose Paré*. Paul B Hoeber, New York, 1921.
7. Wieding, J., et al., *Biomechanical stability of novel mechanically adapted open-porous titanium scaffolds in metatarsal bone defects of sheep*. Biomaterials, 2015. **46**: p. 35-47.
8. Williams, L., K. Fan, and R. Bentley, *Custom-made titanium cranioplasty: early and late complications of 151 cranioplasties and review of the literature*. International journal of oral and maxillofacial surgery, 2015. **44**(5): p. 599-608.
9. Chen, S.-T., et al., *3-D titanium mesh reconstruction of defective skull after frontal craniectomy in traumatic brain injury*. Injury, 2015. **46**(1): p. 80-85.
10. Balasundaram, I., I. Al-Hadad, and S. Parmar, *Recent advances in reconstructive oral and maxillofacial surgery*. British Journal of Oral and Maxillofacial Surgery, 2012. **50**(8): p. 695-705.
11. Jardini, A.L., et al., *Cranial reconstruction: 3D biomodel and custom-built implant created using additive manufacturing*. Journal of Cranio-Maxillofacial Surgery, 2014. **42**(8): p. 1877-1884.
12. Jalbert, F., et al., *One-step primary reconstruction for complex craniofacial resection with PEEK custom-made implants*. J Craniomaxillofac Surg, 2014. **42**(2): p. 141-8.
13. Ottawa, N., et al., *Custom-made titanium devices as membranes for bone augmentation in implant treatment: Modeling accuracy of titanium products constructed with selective laser melting*. Journal of Cranio-Maxillofacial Surgery, 2015. **43**(7): p. 1289-1295.
14. Gerbino, G., et al., *Primary and secondary reconstruction of complex craniofacial defects using polyetheretherketone custom-made implants*. Journal of Cranio-Maxillofacial Surgery, 2015. **43**(8): p. 1356-1363.
15. Shah, F.A., et al., *3D printed Ti6Al4V implant surface promotes bone maturation and retains a higher density of less aged osteocytes at the bone-implant interface*. Acta biomaterialia, 2016. **30**: p. 357-367.

16. Susarla, S.M., E. Swanson, and C.R. Gordon, *Craniomaxillofacial reconstruction using allotransplantation and tissue engineering: challenges, opportunities, and potential synergy*. *Ann Plast Surg*, 2011. **67**(6): p. 655-61.
17. Makitie, A.A., et al., *Three-dimensional printing for restoration of the donor face: A new digital technique tested and used in the first facial allotransplantation patient in Finland*. *J Plast Reconstr Aesthet Surg*, 2016. **69**(12): p. 1648-1652.
18. Toso, S.M., et al., *Patient-specific implant in prosthetic craniofacial reconstruction: first report of a novel technique with far-reaching perspective*. *Journal of Craniofacial Surgery*, 2015. **26**(7): p. 2133-2135.
19. Nagarjuna, M., et al., *Fabrication of Patient Specific Titanium Implants for Correction of Cranial Defects: A Technique to Improve Anatomic Contours and Accuracy*. *Journal of Craniofacial Surgery*, 2015. **26**(8): p. 2409-2411.
20. Zhang, J., et al., *Customized Titanium Mesh for Repairing Cranial Defects: A Method With Comprehensive Evaluation*. *Journal of Craniofacial Surgery*, 2015. **26**(8): p. e758-e761.
21. Cho, H.R., et al., *Skull reconstruction with custom made three-dimensional titanium implant*. *Archives of Craniofacial surgery*, 2015. **16**(1): p. 11-16.
22. El-Hajje, A., et al., *Physical and mechanical characterisation of 3D-printed porous titanium for biomedical applications*. *Journal of Materials Science: Materials in Medicine*, 2014. **25**(11): p. 2471-2480.
23. Suomalainen, A., et al., *Rapid prototyping modelling in oral and maxillofacial surgery: A two year retrospective study*. *Journal of clinical and experimental dentistry*, 2015. **7**(5): p. e605.
24. Tarsitano, A., et al., *The CAD–CAM technique for mandibular reconstruction: an 18 patients oncological case-series*. *Journal of Cranio-Maxillofacial Surgery*, 2014. **42**(7): p. 1460-1464.
25. Zhou, L., et al., *Prototyped grafting plate for reconstruction of mandibular defects*. *Journal of Cranio-Maxillofacial Surgery*, 2014. **42**(8): p. 1723-1729.
26. Durham, S.R., J.G. McComb, and M.L. Levy, *Correction of large (> 25 cm²) cranial defects with “reinforced” hydroxyapatite cement: technique and complications*. *Neurosurgery*, 2003. **52**(4): p. 842-845.
27. Saringer, W., I. Nöbauer-Huhmann, and E. Knosp, *Cranioplasty with individual carbon fibre reinforced polymere (CFRP) medical grade implants based on CAD/CAM technique*. *Acta neurochirurgica*, 2002. **144**(11): p. 1193-1203.
28. Brie, J., et al., *A new custom made bioceramic implant for the repair of large and complex craniofacial bone defects*. *Journal of Cranio-Maxillofacial Surgery*, 2013. **41**(5): p. 403-407.
29. Cohen, S.M., B.E. Rosett, and D.A. Shifrin, *An Analysis of Independent Variables Affecting Surgical Outcomes in Patients Undergoing Repair of Maxillofacial Trauma: An American College of Surgeons National Surgical Quality Improvement Program Study*. *J Craniofac Surg*, 2017. **28**(3): p. 596-599.
30. Kobayashi, K., et al., *Accuracy in measurement of distance using limited cone-beam computerized tomography*. *Int J Oral Maxillofac Implants*, 2004. **19**(2): p. 228-31.

31. Jin Liu, J.Z., Quanhua Tang, and Weidong Jin, *Minimum Error Thresholding Segmentation Algorithm Based on 3D Grayscale Histogram*. Mathematical Problems in Engineering, 2014: p. 13.
32. Ye, N., et al., *Accuracy of in-vitro tooth volumetric measurements from cone-beam computed tomography*. Am J Orthod Dentofacial Orthop, 2012. **142**(6): p. 879-87.
33. Liu, Y., et al., *The validity of in vivo tooth volume determinations from cone-beam computed tomography*. Angle Orthod, 2010. **80**(1): p. 160-6.
34. Chiapasco, M., et al., *Titanium-zirconium alloy narrow-diameter implants (Straumann Roxolid((R))) for the rehabilitation of horizontally deficient edentulous ridges: prospective study on 18 consecutive patients*. Clin Oral Implants Res, 2012. **23**(10): p. 1136-41.
35. Becht, M.P., et al., *Evaluation of masseter muscle morphology in different types of malocclusions using cone beam computed tomography*. Int Orthod, 2014. **12**(1): p. 32-48.
36. Dong, P., et al. *Voronoi-based analysis of bone cell network from synchrotron radiation micro-CT images*. in *Biomedical Imaging (ISBI), 2015 IEEE 12th International Symposium on*. 2015. IEEE.
37. Gómez, S., et al., *Design and properties of 3D scaffolds for bone tissue engineering*. Acta biomaterialia, 2016. **42**: p. 341-350.
38. Makiyama, A., S. Vajjhala, and L. Gibson, *Analysis of crack growth in a 3D Voronoi structure: a model for fatigue in low density trabecular bone*. Journal of biomechanical engineering, 2002. **124**(5): p. 512-520.
39. Michoński, J., et al., *Automatic recognition of surface landmarks of anatomical structures of back and posture*. Journal of biomedical optics, 2012. **17**(5): p. 0560151-05601514.
40. Hou, W., et al., *Surface reconstruction through poisson disk sampling*. PloS one, 2015. **10**(4): p. e0120151.
41. Wu, J., et al., *Infill Optimization for Additive Manufacturing--Approaching Bone-like Porous Structures*. IEEE Transactions on Visualization and Computer Graphics, 2017.
42. Schwen, L.O., *Composite finite elements for trabecular bone microstructures*. 2010, Universitäts-und Landesbibliothek Bonn.
43. Wieding, J., A. Wolf, and R. Bader, *Numerical optimization of open-porous bone scaffold structures to match the elastic properties of human cortical bone*. Journal of the mechanical behavior of biomedical materials, 2014. **37**: p. 56-68.
44. Zuluaga, M.A., et al., *Bone canalicular network segmentation in 3D nano-CT images through geodesic voting and image tessellation*. Physics in medicine and biology, 2014. **59**(9): p. 2155.
45. Fantini, M. and M. Curto, *Interactive design and manufacturing of a Voronoi-based biomimetic bone scaffold for morphological characterization*. International Journal on Interactive Design and Manufacturing (IJIDeM), 2017: p. 1-12.
46. Hollister, S.J., et al., *An image-based approach for designing and manufacturing craniofacial scaffolds*. International Journal of Oral & Maxillofacial Surgery, 2000. **29**(1): p. 67-71.

47. Saxena, A.K., *Tissue engineering: Present concepts and strategies*. Journal of Indian association of pediatric surgeons, 2005. **10**(1): p. 14.
48. Fantini, M., M. Curto, and F. De Crescenzo, *A method to design biomimetic scaffolds for bone tissue engineering based on Voronoi lattices*. Virtual and Physical Prototyping, 2016. **11**(2): p. 77-90.
49. Chakraborty, A., et al., *Adaptive geometric tessellation for 3D reconstruction of anisotropically developing cells in multilayer tissues from sparse volumetric microscopy images*. PLoS One, 2013. **8**(8): p. e67202.
50. Mangano, F., et al., *Immediate restoration of fixed partial prostheses supported by one-piece narrow-diameter selective laser sintering implants: a 2-year prospective study in the posterior jaws of 16 patients*. Implant Dent, 2013. **22**(4): p. 388-93.
51. Armstrong, T., et al., *Standardization of surgical procedures for identifying best practices and training*. Work, 2012. **41 Suppl 1**: p. 4673-9.
52. Nijkamp, P.G., et al., *The influence of cephalometrics on orthodontic treatment planning*. Eur J Orthod, 2008. **30**(6): p. 630-5.
53. Kilic, N., et al., *Soft tissue profile changes following maxillary protraction in Class III subjects*. Eur J Orthod, 2010. **32**(4): p. 419-24.
54. Devereux, L., et al., *How important are lateral cephalometric radiographs in orthodontic treatment planning?* Am J Orthod Dentofacial Orthop, 2011. **139**(2): p. e175-81.
55. Arnett, G.W. and R.T. Bergman, *Facial keys to orthodontic diagnosis and treatment planning. Part I*. Am J Orthod Dentofacial Orthop, 1993. **103**(4): p. 299-312.
56. Arnett, G.W. and R.T. Bergman, *Facial keys to orthodontic diagnosis and treatment planning--Part II*. Am J Orthod Dentofacial Orthop, 1993. **103**(5): p. 395-411.
57. Downs, W.B., *Analysis of the Dentofacial Profile*. The Angle Orthodontist, 1956. **26**(4): p. 191-212.
58. Holdaway, R.A., *A soft-tissue cephalometric analysis and its use in orthodontic treatment planning. Part I*. Am J Orthod, 1983. **84**(1): p. 1-28.
59. Ricketts, R.M., *Esthetics, environment, and the law of lip relation*. Am J Orthod, 1968. **54**(4): p. 272-89.
60. Merrifield, L.L., *The profile line as an aid in critically evaluating facial esthetics*. Am J Orthod, 1966. **52**(11): p. 804-22.
61. Ferrario, V.F., et al., *The effect of sex and age on facial asymmetry in healthy subjects: a cross-sectional study from adolescence to mid-adulthood*. J Oral Maxillofac Surg, 2001. **59**(4): p. 382-8.
62. Kau, C.H. and S. Richmond, *Three-dimensional analysis of facial morphology surface changes in untreated children from 12 to 14 years of age*. Am J Orthod Dentofacial Orthop, 2008. **134**(6): p. 751-60.
63. Nkenke, E., et al., *Three-dimensional analysis of changes of the malar-midfacial region after LeFort I osteotomy and maxillary advancement*. Oral Maxillofac Surg, 2008. **12**(1): p. 5-12.

64. Ras, F., et al., *Quantification of facial morphology using stereophotogrammetry--demonstration of a new concept*. J Dent, 1996. **24**(5): p. 369-74.
65. Kochel, J., et al., *3D soft tissue analysis--part 2: vertical parameters*. J Orofac Orthop, 2010. **71**(3): p. 207-20.
66. Kochel, J., et al., *3D soft tissue analysis--part 1: sagittal parameters*. J Orofac Orthop, 2010. **71**(1): p. 40-52.
67. McCance, A.M., et al., *Three-dimensional analysis techniques--Part 3: Color-coded system for three-dimensional measurement of bone and ratio of soft tissue to bone: the analysis*. Cleft Palate Craniofac J, 1997. **34**(1): p. 52-7.
68. M. L. Riolo, R.E.M., T. R. TenHave, and C. A. Mayers, *Facial soft tissue changes during adolescence*. Craniofacial Growth Series, ed. E. D. S. Carlson and K. A. Ribbens. 1987, University of Michigan, Ann Arbor, Mich, USA: Center for Human Growth and Development.
69. Solow, B. and A. Tallgren, *Natural head position in standing subjects*. Acta Odontol Scand, 1971. **29**(5): p. 591-607.
70. Chiu, C.S. and R.K. Clark, *Reproducibility of natural head position*. J Dent, 1991. **19**(2): p. 130-1.
71. Lundstrom, A., et al., *Natural head position and natural head orientation: basic considerations in cephalometric analysis and research*. Eur J Orthod, 1995. **17**(2): p. 111-20.
72. Dahlberg, G., *Statistical Methods for Medical and Biological Students*. 1940, New York, NY, USA: Interscience Publications.
73. Incrapera, A.K., et al., *Soft tissue images from cephalograms compared with those from a 3D surface acquisition system*. Angle Orthod, 2010. **80**(1): p. 58-64.
74. Shamlan, M.A. and A.M. Aldrees, *Hard and soft tissue correlations in facial profiles: a canonical correlation study*. Clin Cosmet Investig Dent, 2015. **7**: p. 9-15.
75. Schwarz, A.M., *Die Rontgenostatik*. 1958, Munich, Germany: Urban & Schwarzenberg.
76. Tang, Y.L., Han Tong; Fuh, J.-Y.-H.; Wong, Yeow Sheong; Lu, L.; Ning, Y.; Wang, X., *Accuracy Analysis and Improvement for Direct Laser Sintering*. <https://dspace.mit.edu/bitstream/1721.1/3898/2/IMST001.pdf>, 2003. **2003**.
77. Choi SH., S.S., *Modelling and optimisation of rapid prototyping*. Compu Ind, 2002. **47**: p. 39-53.
78. P.J. Besl, N.D.M., *A method for registration of 3-D shapes*. IEEE Transactions on Pattern Analysis and Machine Intelligence, 1992. **14**(2): p. 239 - 256.
79. Wu, C., et al., *Grafting materials for alveolar cleft reconstruction: a systematic review and best-evidence synthesis*. Int J Oral Maxillofac Surg, 2017.
80. Chang, P.S., et al., *The accuracy of stereolithography in planning craniofacial bone replacement*. J Craniofac Surg, 2003. **14**(2): p. 164-70.
81. Rosa, M., et al., *Perceptions of dental professionals and laypeople to altered dental esthetics in cases with congenitally missing maxillary lateral incisors*. Prog Orthod, 2013. **14**: p. 34.
82. Wong, R.K., et al., *Complications of hydroxyapatite bone cement in secondary pediatric craniofacial reconstruction*. J Craniofac Surg, 2011. **22**(1): p. 247-51.

83. Thesleff, T., et al., *Cranioplasty with adipose-derived stem cells and biomaterial: a novel method for cranial reconstruction*. *Neurosurgery*, 2011. **68**(6): p. 1535-40.
84. Dean, D., K.J. Min, and A. Bond, *Computer aided design of large-format prefabricated cranial plates*. *J Craniofac Surg*, 2003. **14**(6): p. 819-32.
85. Fallahi, B., et al., *Computer-aided manufacturing of implants for the repair of large cranial defects: an improvement of the stereolithography technique*. *Neurol Res*, 1999. **21**(3): p. 281-6.
86. Jang, E.S., et al., *Restoration of peri-implant defects in immediate implant installations by Choukroun platelet-rich fibrin and silk fibroin powder combination graft*. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod*, 2010. **109**(6): p. 831-6.
87. van Putten, M.C., Jr. and S. Yamada, *Alloplastic cranial implants made from computed tomographic scan-generated casts*. *J Prosthet Dent*, 1992. **68**(1): p. 103-8.
88. Rotaru, H., et al., *Silicone rubber mould cast polyethylmethacrylate-hydroxyapatite plate used for repairing a large skull defect*. *J Craniomaxillofac Surg*, 2006. **34**(4): p. 242-6.
89. Honeybul, S., *Complications of decompressive craniectomy for head injury*. *J Clin Neurosci*, 2010. **17**(4): p. 430-5.
90. Aarabi, B., et al., *Outcome following decompressive craniectomy for malignant swelling due to severe head injury*. *J Neurosurg*, 2006. **104**(4): p. 469-79.
91. Kan, P., et al., *Outcomes after decompressive craniectomy for severe traumatic brain injury in children*. *J Neurosurg*, 2006. **105**(5 Suppl): p. 337-42.
92. Grant, G.A., et al., *Failure of autologous bone-assisted cranioplasty following decompressive craniectomy in children and adolescents*. *J Neurosurg*, 2004. **100**(2 Suppl Pediatrics): p. 163-8.
93. Eolchiyan, S.A., *[Complex skull defects reconstruction with capital ES, Cyrilliccapital A, CyrillicD/capital ES, Cyrilliccapital A, Cyrilliccapital EM, Cyrillic titanium and polyetheretherketone (PEEK) implants]*. *Zh Vopr Neirokhir Im N N Burdenko*, 2014. **78**(4): p. 3-13.
94. Kurtz, S.M. and J.N. Devine, *PEEK biomaterials in trauma, orthopedic, and spinal implants*. *Biomaterials*, 2007. **28**(32): p. 4845-69.
95. Albrektsson, T., et al., *Osseointegrated titanium implants. Requirements for ensuring a long-lasting, direct bone-to-implant anchorage in man*. *Acta Orthop Scand*, 1981. **52**(2): p. 155-70.
96. Javed, F., et al., *Is titanium sensitivity associated with allergic reactions in patients with dental implants? A systematic review*. *Clin Implant Dent Relat Res*, 2013. **15**(1): p. 47-52.
97. Sivaraman, K., et al., *Is zirconia a viable alternative to titanium for oral implant? A critical review*. *J Prosthodont Res*, 2017.
98. Ozkurt, Z. and E. Kazazoglu, *Zirconia dental implants: a literature review*. *J Oral Implantol*, 2011. **37**(3): p. 367-76.
99. Schwitalla, A. and W.D. Muller, *PEEK dental implants: a review of the literature*. *J Oral Implantol*, 2013. **39**(6): p. 743-9.

100. Tan, E.T., J.M. Ling, and S.K. Dinesh, *The feasibility of producing patient-specific acrylic cranioplasty implants with a low-cost 3D printer*. J Neurosurg, 2016. **124**(5): p. 1531-7.